

and 1018-0094. The Service may not conduct or sponsor, and you are not required to respond to, a collection of information unless it displays a currently valid OMB control number. We are collecting this information to provide information necessary to evaluate permit applications. We will use this information to review permit applications and make decisions, according to criteria established in various Federal wildlife conservation statutes and regulations, on the issuance, suspension, revocation, or denial of permits. You must respond to obtain or retain a permit. We estimate the public reporting burden for these reporting requirements to vary from 2 to 2½ hours per response, including time for reviewing instructions, gathering and maintaining data, and completing and reviewing the forms. Direct comments regarding the burden estimate or any other aspect of these reporting requirements to the Service Information Collection Control Officer, MS-222 ARLSQ, U.S. Fish and Wildlife Service, Washington, DC 20240, or the Office of Management and Budget, Paperwork Reduction Project (1018-0093/0094), Washington, DC 20603.

[63 FR 52635, Oct. 1, 1998. Redesignated at 72 FR 48446, Aug. 23, 2007]

Subpart B—Lists

§ 17.11 Endangered and threatened wildlife.

(a) The list in this section contains the names of all species of wildlife which have been determined by the Services to be Endangered or Threatened. It also contains the names of species of wildlife treated as Endangered or Threatened because they are sufficiently similar in appearance to Endangered or Threatened species (see § 17.50 *et seq.*).

(b) The columns entitled "Common Name," "Scientific Name," and "Vertebrate Population Where Endangered or Threatened" define the species of wildlife within the meaning of the Act. Thus, differently classified geographic populations of the same vertebrate subspecies or species shall be identified by their differing geographic boundaries, even though the other two columns are identical. The

term "Entire" means that all populations throughout the present range of a vertebrate species are listed. Although common names are included, they cannot be relied upon for identification of any specimen, since they may vary greatly in local usage. The Services shall use the most recently accepted scientific name. In cases in which confusion might arise, a synonym(s) will be provided in parentheses. The Services shall rely to the extent practicable on the *International Code of Zoological Nomenclature*.

(c) In the "Status" column the following symbols are used: "E" for Endangered, "T" for Threatened, and "E [or T] (S/A)" for similarity of appearance species.

(d) The other data in the list are non-regulatory in nature and are provided for the information of the reader. In the annual revision and compilation of this title, the following information may be amended without public notice: the spelling of species' names, historical range, footnotes, references to certain other applicable portions of this title, synonyms, and more current names. In any of these revised entries, neither the species, as defined in paragraph (b) of this section, nor its status may be changed without following the procedures of part 424 of this title.

(e) The "historic range" indicates the known general distribution of the species or subspecies as reported in the current scientific literature. The present distribution may be greatly reduced from this historic range. This column does not imply any limitation on the application of the prohibitions in the Act or implementing rules. Such prohibitions apply to all individuals of the species, wherever found.

(f)(1) A footnote to the FEDERAL REGISTER publication(s) listing or reclassifying a species is indicated under the column "When listed." Footnote numbers to §§ 17.11 and 17.12 are in the same numerical sequence, since plants and animals may be listed in the same FEDERAL REGISTER document. That document, at least since 1973, includes a statement indicating the basis for the listing, as well as the effective date(s) of said listing.

§ 17.11

(2) The “Special rules” and “Critical habitat” columns provide a cross reference to other sections in parts 17, 222, 226, or 227. The “Special rules” column will also be used to cite the special rules that describe experimental populations and determine if they are essential or nonessential. Separate listing will be made for experimental populations, and the status column will include the following symbols: “XE” for an essential experimental population and “XN” for a nonessential experimental population. The term “NA” (not applicable) appearing in either of these two columns indicates that there are no special rules and/or critical habitat for that particular species. However, all other appropriate rules in parts 17, 217 through 227, and 402 still apply to that species. In addition, there may be other rules in this title that relate to such wildlife, e.g., port-of-entry requirements. It is not intended that the references in the “Special rules”

50 CFR Ch. I (10-1-08 Edition)

column list all the regulations of the two Services which might apply to the species or to the regulations of other Federal agencies or State or local governments.

(g) The listing of a particular taxon includes all lower taxonomic units. For example, the genus *Hylobates* (gibbons) is listed as Endangered throughout its entire range (China, India, and SE Asia); consequently, all species, subspecies, and populations of that genus are considered listed as Endangered for the purposes of the Act. In 1978 (43 FR 6230–6233) the species *Haliaeetus leucocephalus* (bald eagle) was listed as Threatened in “USA (WA, OR, MN, WI, MI)” rather than its entire population; thus, all individuals of the bald eagle found in those five States are considered listed as Threatened for the purposes of the Act.

(h) The “List of Endangered and Threatened Wildlife” is provided below:

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
MAMMALS								
Addax	<i>Addax nasomaculatus</i>	North Africa	Entire	E	E	3	NA	NA
Anoa, lowland	<i>Bubalus depressicornis</i>	Indonesia	do	E	E	15	NA	NA
Anoa, mountain	<i>Bubalus quarlesi</i>	Angola	do	E	E	15	NA	NA
Antelope, giant sable	<i>Hippotragus niger vanarri</i>	China, India, Nepal	do	E	E	NA	NA
Antelope, Tibetan	<i>Pantholops hodsonii</i>	Afghanistan, China, India, Kazakhstan, Kyrgyzstan, Mongolia, Nepal, Pakistan, Russia, Tajikistan, Uzbekistan	Entire except Kyrgyzstan, Mongolia, and Tajikistan	E	E	15, 475	NA	NA
Argali	<i>Ovis ammon</i>	do	Kyrgyzstan, Mongolia, and Tajikistan	T	T	15, 475	NA	NA
Do	<i>Phiodonotes maximus</i>	Venezuela and Guyana to Argentina	Entire	E	E	15	NA	NA
Armadillo, giant	<i>Chlamyphorus truncatus</i>	Argentina	do	E	E	3	NA	NA
Armadillo, pink fairy	<i>Equus asinus</i>	Somalia, Sudan, Ethiopia	do	E	E	3, 22	NA	NA
Ass, African wild	<i>Equus hemionus</i>	Southwestern and Central Asia	do	E	E	3	NA	NA
Ass, Asian wild	<i>Equus hemionus</i> (=entire genus)	Madagascar	do	E	E	3	NA	NA
Avahi	<i>Daubentonina madagascariensis</i>	Indonesia	do	E	E	3	NA	NA
Aye-aye	<i>Babirusa babyrussa</i>	Ethiopia	do	E	E	15	NA	NA
Baboon, gelada	<i>Theropithecus gelada</i>	Australia	do	E	E	16	NA	NA
Bandicoot, barred	<i>Perameles borgoniville</i>	do	do	E	E	4	NA	NA
Bandicoot, desert	<i>Perameles eremicana</i>	do	do	E	E	6	NA	NA
Bandicoot, lesser rabbit	<i>Macrotis leucura</i>	do	do	E	E	4	NA	NA
Bandicoot, pig-footed	<i>Chaeropus ecaudatus</i>	do	do	E	E	4	NA	NA
Bandicoot, rabbit	<i>Macrotis lagotis</i>	Southeast Asia	do	E	E	4	NA	NA
Banteng	<i>Bos taurinus</i>	Papua New Guinea	do	E	E	3	NA	NA
Bat, Bulmer's fruit (flying fox)	<i>Apotiles bulmerae</i>	Thailand	do	E	E	139	NA	NA
Bat, bumblebee	<i>Craseonycteris thonggongyai</i>	Central and southeastern U.S.A.	do	E	E	13	NA	NA
Bat, gray	<i>Myotis grisescens</i>	U.S.A. (HI)	do	E	E	2	NA	NA
Bat, Hawaiian hoary	<i>Lasiorhinus cinereus semotus</i>	Eastern and Midwestern U.S.A.	do	E	E	1	17.9(a)	NA
Bat, Indiana	<i>Myotis sodalis</i>	U.S.A. (AZ, NM), Mexico, Central America	do	E	E	336	NA	NA
Bat, lesser long-nosed	<i>Leptonycteris curasae</i>	Western Pacific Ocean—U.S.A. (Guam)	do	E	E	156	NA	NA
Bat, little Mariana fruit	<i>Pteropus tokudae</i>	Western Pacific Ocean—U.S.A. (GU, MP)	do	T	T	156	Guam	NA
Fruit Bat, Mariana (=farini, Mariana flying fox)	<i>Pteropus mariannus mariannus</i>	U.S.A. (NM, TX), Mexico, Central America	do	E	E	336	17.9(a)	NA
Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	U.S.A. (MO, OK, AR)	do	E	E	85	NA	NA
Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	Indian Ocean—Rodrigues Island	do	E	E	139	NA	NA
Bat, Rodrigues fruit (flying fox)	<i>Pteropus rodricensis</i>	Malaysia	do	E	E	139	NA	NA
Bat, Singapore roundleaf horseshoe.	<i>Hipposideros fideyi</i>							

§ 17.11

50 CFR Ch. I (10-1-08 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Bat, Virginia big-eared	<i>Myotis townsendii virginianus</i>	<i>Myotis townsendii</i> (= <i>Plecotus</i>)	U.S.A. (KY, NC, WV, VA)	do	E	85	17.95(a)	NA
Bear, American black	<i>Ursus americanus</i>	<i>Ursus americanus</i>	North America	U.S.A. (LA, all counties; MS, TX, only within the historic county range of the Louisiana black bear), Entire	T(SA)	456	NA	17.40(i)
Bear, Baluchistan	<i>Ursus thibetanus gedrosianus</i>	<i>Ursus thibetanus</i>	Iran, Pakistan	do	E	233	NA	NA
Bear, brown	<i>Ursus arctos arctos</i>	<i>Ursus arctos</i>	China (Tibet)	do	E	15	NA	NA
Do	<i>Ursus arctos pruinosa</i>	<i>Ursus arctos</i>	North America	do	E	15	NA	NA
Bear, grizzly	<i>Ursus arctos horribilis</i>	<i>Ursus arctos</i>	do	U.S.A., conterminous (lower 48 States, except—(1) where listed as an experimental population; and (2) that portion of Idaho that is east of Interstate Highway 15 and north of U.S. Highway 30; that portion of Montana that is east of Interstate Highway 15 and south of Interstate Highway 90; that portion of Wyoming south of Interstate Highway 90, west of Interstate Highway 25, Wyoming State Highway 220, and U.S. Highway 287 south of Three Forks (at the 220 and 287 intersection), and north of Interstate Highway 80 and U.S. Highway 30, (portions of ID and MT, see 17.84(i)).	E	1, 2D, 9, 759	do	17.40(b)
Do	<i>Ursus americanus luteolus</i>	<i>Ursus americanus</i>	do	do	XN	706	NA	17.84(i)
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	<i>Ursus americanus</i> (LA—all counties south of or touching a line from Greenville, Washington County, to Meridian, Lauderdale County, TX—all counties east of or touching a line from Linden, Cass County, SW to Bryan, Brazos County, thence SSW to Rockport, Aransas County)	do	do	T	456	NA	17.40(i)
Bear, Mexican grizzly	<i>Ursus arctos</i>	<i>Ursus arctos</i>	do	do	E	3	NA	NA
Bear, polar	<i>Ursus maritimus</i>	<i>Ursus maritimus</i>	do	do	T	17.40(q)
Beaver	<i>Castor fiber birculai</i>	<i>Castor fiber</i>	Denmark (Greenland), Norway, Mongolia	do	E	15	NA	NA
Bison, wood	<i>Bison bison athabascae</i>	<i>Bison bison</i>	Canada, northwestern U.S.A	do	E	3	NA	NA
Bobcat, Mexican	<i>Lynx (Felis) rufus esuinapae</i>	<i>Lynx</i> (= <i>Felis</i>)	Central Mexico	do	E	15	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Bontebok (antelope)	<i>Damaliscus pygargus</i> (=dorcas)	South Africa	do	E 15	NA
Camel, Bactrian	<i>Camelus bactrianus</i>	Mongolia, China	U.S.A. (ID, WA), Canada (that part of S.E. British Columbia bounded by the U.S.-Can. border, Columbia R., Kootenay R., Kootenay L., and Kootenai R.).	E 15	NA
Caribou, woodland	<i>Rangifer tarandus caribou</i>	Nepal, China, Southeast Asia, Indonesia (Sumatra).	do	E 128E, 136, 143	NA
Cat, Andean	<i>Felis jacotabia</i>	Chile, Peru, Bolivia, Argentina	do	E 15	NA
Cat, Asian golden (=Temminck's)	<i>Catopuma</i> (= <i>Felis</i>) <i>temminckii</i>	Nepal, China, Southeast Asia, Indonesia (Sumatra).	do	E 15	NA
Cat, black-footed	<i>Felis nigripes</i>	Southern Africa	do	E 15	NA
Cat, flat-headed	<i>Priodontis</i> (= <i>Felis</i>) <i>planiceps</i>	Malaysia, Indonesia	do	E 50	NA
Cat, Iriomote	<i>Priodontis</i> (= <i>Felis</i>) <i>bengalensis</i> <i>iriomotensis</i> .	Japan (Iriomote Island, Ryukyu Islands).	do	E 15	NA
Cat, leopard	<i>Priodontis</i> (= <i>Felis</i>) <i>bengalensis</i> <i>bengalensis</i> .	India, Southeast Asia	do	E 15	NA
Cat, marbled	<i>Pardofelis</i> (= <i>Felis</i>) <i>marmorata</i>	Nepal, Southeast Asia, Indonesia	do	E 15	NA
Cat, tiger	<i>Felis margarita scheffeli</i>	Pakistan	do	E 139	NA
Chamois, Apennine	<i>Leopardus</i> (= <i>Felis</i>) <i>ligrinus</i>	Costa Rica to northern Argentina	do	E 5	NA
Cheetah	<i>Rupicapra rupicarpa ornata</i>	Italy	do	E 15	NA
Chimpanzee	<i>Acinonyx jubatus</i>	Africa to India	do	E 3, 5	NA
Do	<i>Pan troglodytes</i>	Africa—see 17.40(c)(3)	Wherever found in the wild	E 16	376
Chimpanzee, pygmy	<i>Pan paniscus</i>	do	Wherever found in captivity	T 16	376
Chinchilla	<i>Chinchilla brevicaudata boliviiana</i>	Zaire	do	E 16	376
Civet, Malabar large-spotted	<i>Viverra civetta</i> (= <i>megaspila</i> c.)	Bolivia	do	E 15	NA
Cochilo	<i>Phocena sinus</i>	India	do	E 50	NA
Cervus elaphus	<i>Cervus elaphus baeticus</i>	Mexico (Gulf of California)	do	E 169	NA
Deer, Barberry	<i>Cervus elaphus barbarus</i>	Tajikistan, Uzbekistan, Afghanistan.	do	E 50	NA
Deer, Calmianae (=Philippine)	<i>Axis porcinus calamianensis</i>	Monaco, Tunisia, Algeria	do	E 50	NA
Deer, Cedros Island mule	<i>Odocoileus hemionus</i> <i>cedrosensis</i> .	Philippines (Catalan Islands)	do	E 15	NA
Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Mexico (Cedros Island)	do	E 10	NA
Deer, Corsican red	<i>Cervus elaphus corsicanus</i>	U.S.A. (WA, OR)	do	E 1,738	NA
Deer, Eld's brow-antlered	<i>Cervus eldi</i>	Corsica, Sardinia	do	E 50	NA
Deer, Formosan sika	<i>Cervus nippon taivanus</i>	India to Southeast Asia	do	E 3	NA
Deer, Indochina hog	<i>Axis</i> (= <i>Cervus</i>) <i>porcinus</i> <i>annamiticus</i> .	Taiwan, Indochina	do	E 50	NA
Deer, key	<i>Odocoileus virginianus clavium</i>	U.S.A. (FL)	do	E 15	NA
Deer, Kuhli (=Bawean)	<i>Axis porcinus kuhli</i>	Indonesia	do	E 1	NA
Deer, marsh	<i>Blastocerus dichotomus</i>	Argentina, Uruguay, Paraguay, Bolivia, Brazil.	do	E 3	NA
Deer, McNeill's	<i>Cervus elaphus macneilli</i>	China (Sinkiang, Tibet)	do	E 3	NA

§ 17.11

50 CFR Ch. I (10-1-08 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Deer, musk	<i>Moschus</i> spp. (all species)	Central and eastern Asia	Afghanistan, Bhutan, Burma, China (Ibet, Yunnan), India, Nepal, Pakistan, Sikkim, Entire	E	15	NA	NA	NA
Deer, North China sika	<i>Cervus nippon mandarinus</i>	China (Shantung and Chihi Provinces).	do	E	50	NA	NA	NA
Deer, pampas	<i>Ozotoceros bezoarticus</i>	Brazil, Argentina, Uruguay, Bolivia, Paraguay.	do	E	15	NA	NA	NA
Deer, Persian fallow	<i>Dama mesopotamica</i> (= <i>dama m.</i>)	Iraq, Iran	do	E	3	NA	NA	NA
Deer, Ryukyu sika	<i>Cervus nippon keranee</i>	Japan (Ryukyu Islands)	do	E	50	NA	NA	NA
Deer, Shansi sika	<i>Cervus nippon grassianus</i>	China (Shansi Province)	do	E	50	NA	NA	NA
Deer, South China sika	<i>Cervus nippon kopschi</i>	Southern China	do	E	50	NA	NA	NA
Deer, swamp	<i>Cervus duvaucelii</i>	India, Nepal	do	E	3	NA	NA	NA
Deer, Visayan	<i>Cervus alfredi</i>	Philippines	do	E	320	NA	NA	NA
Deer, Visayan	<i>Cervus elaphus yarkandensis</i>	China (Sikkiang)	do	E	50	NA	NA	NA
Dhole	<i>Cyon alpinus</i>	C.I.S., Korea, China, India, Southeast Asia	do	E	3	NA	NA	NA
Dibbler	<i>Antechinus apicalis</i>	Australia	do	E	4	NA	NA	NA
Dog, African wild	<i>Lycosa pictus</i>	Sub-Saharan Africa	do	E	139	NA	NA	NA
Dolphin, Chinese river	<i>Lipotes vexillifer</i>	China	do	E	350	NA	NA	NA
Dolphin, Indus River	<i>Platanista minor</i>	Pakistan (Indus R. and tributaries).	do	E	417	NA	NA	NA
Drill	<i>Mandrillus</i> (= <i>Papio</i>) <i>leucophaeus</i>	Equatorial West Africa	do	E	16	NA	NA	NA
Dugong	<i>Dugong dugon</i>	East Africa to southern Japan, including Palau.	do	E	4,740	NA	NA	NA
Duiker, Jentink's	<i>Cephalophus jentinki</i>	Sierra Leone, Liberia, Ivory Coast.	do	E	50	NA	NA	NA
Eland, western giant	<i>Taurotragus derbianus derbianus</i>	Senegal to Ivory Coast	do	E	50	NA	NA	NA
Elephant, African	<i>Loxodonta africana</i>	Africa	do	T	40	NA	17,40(e)	NA
Elephant, Asian	<i>Elephas maximus</i>	South-central and southeastern Asia.	do	E	15	NA	NA	NA
Ferret, black-footed	<i>Mustela nigripes</i>	Western U.S.A., Western Canada	Entire, except where listed as an experimental population.	E	1,3,433,	NA	NA	NA
do	do	do	U.S.A. (specified portions of AZ, CO, MI, SD, UT, and WY, see 17.84(g)(9)).	XN	433, 545, 546, 582, 646,	NA	17,84(g)	NA
Fox, northern swift	<i>Vulpes velox hebes</i>	U.S.A. (northern plains), Canada	703, 737	E	3	NA	NA	NA
Fox, San Joaquin kit	<i>Vulpes macrotis macrotis</i>	U.S.A. (CA)	703, 737	E	1	NA	NA	NA
Fox, San Miguel Island	<i>Urocyon littoralis littoralis</i>	do	742	E	742	17,95(a)	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

§ 17.11

50 CFR Ch. I (10-1-08 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Kangaroo rat, giant	<i>Dipodomys ingens</i>dododo	E	251	NA	NA
Kangaroo rat, Morro Bay	<i>Dipodomys heermanni monroensis</i>dododo	E	2	17.95(a)	NA
Kangaroo rat, San Bernardino	<i>Dipodomys merriami parvus</i>dododo	E	632E, 645	17.95(a)	NA
Merrim's.	<i>Dipodomys merriami</i>dododo	E	338	NA	NA
Kangaroo rat, Stephens'	<i>Dipodomys stephensi</i> (incl. <i>D. cæsus</i>).dododo	E
Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides tasmaniensis</i>dododo	E	312	NA	NA
Kangaroo, Tasmanian forester	<i>Macropus giganteus</i>dododo	E	6	NA	NA
Koala	<i>Phascolarctos cinereus</i>do	Australia	Australia	T	698	NA	NA
Kouprey	<i>Bos saeuveli</i>do	Vietnam, Laos, Cambodia, Thailand.	Entire	E	3	NA	NA
Langur, capped	<i>Trachypithecus (=Presbytis) pileatus</i>do	India, Burma, Bangladeshdo	E	15	NA	NA
Langur, Douc	<i>Pygathrix nemaeus</i>do	Cambodia, Laos, Vietnamdo	E	3	NA	NA
Langur, Francois'	<i>Trachypithecus (=Presbytis) francoisi</i>do	China (Kwangsi), Indochinado	E	16	NA	NA
Langur, golden	<i>Trachypithecus (=Presbytis) geei</i>do	India (Assam), Bhutando	E	15	NA	NA
Langur, gray (=entellus)	<i>Semnopithecus (=Presbytis) entellus</i>do	China (Tibet), India, Pakistan, Kashmir, Sri Lanka, Sikkim, Bangladesh, Indonesiado	E	15	NA	NA
Langur, long-tailed	<i>Presbytis potenziani</i>dododo	T	16	NA	17.40(c)
Langur, Pagi Island	<i>Nasalis concolor</i>dododo	E	3	NA	NA
Langur, purple-faced	<i>Presbytis senex</i>dododo	T	16	NA	17.40(c)
Lechwe, red	<i>Kobus leche</i>dododo	T	3, 15,	NA	NA
Lemursdodododo	E	106	NA	NA
.....dododododo	E	3, 15, 15A	NA	NA
Leopard	<i>Panthera pardus</i>do	Africa, Asiado	E	114	NA	NA
Dododododo	T	3, 5, 114	NA	17.40(f)
Leopard, clouded	<i>Neofelis nebulosa</i>do	Southeastern and south-central Asia, Taiwan, Central Asiado	E	3, 15	NA	NA
Leopard, snow	<i>Uncia (=Panthera) uncia</i>do	Nepal, Assam, Vietnam, Cambodia, Laos, Burma.do	E	5	NA	NA
Linsang, spotted	<i>Prionodon pardicolor</i>do	Turkey to Indiado	E	15	NA	NA
Lion, Asiatic	<i>Panthera leo persica</i>do	Indochinado	E	3	NA	NA
Loris, lesser slow	<i>Nycticebus pygmaeus</i>dododo	T	16	NA	17.40(c)

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Lynx, Canada	<i>Lynx canadensis</i>	U.S.A. (AK, CO, ID, CO, ID, ME, MI, MN, MT, NH, NY, OR, UT, VT, WA, WI, WY), Canada, circum boreal.	CO, ID, ME, MI, MN, MT, NH, NY, OR, UT, VT, WA, WI, WY.	T	692	17.95(a)	17.40(k)
Lynx, Spanish	<i>Felis pardina</i>	Entire	Entire	E	3	NA	NA
Macaque, Formosan rock	<i>Macaca cyclopis</i>	do	do	E	16	NA	17.40(c)
Macaque, Japanese	<i>Macaca fuscata</i>	do	do	T	16	NA	17.40(c)
Macaque, Ion-tailed	<i>Macaca sinica</i>	India (Assam) to southern China	India	E	3	NA	NA
Macaque, Stump-tailed	<i>Macaca arctoides</i>	Sri Lanka	do	T	16	NA	17.40(c)
Macaque, Toque	<i>Macaca nigra</i>	South America (Amazon R. basin).	do	T	16	NA	17.40(c)
Manatee, Amazonian	<i>Trichechus senegalensis</i>	West Coast of Africa from Senegal R. to Cuanza R.	do	T	52	NA	NA
Manatee, West African	<i>Trichechus manatus</i>	U.S.A. (southeastern), Caribbean Sea, South America.	do	E	1, 3	17.95(a)	17.108(a)
Mandrill	<i>Mandrillus (=Papio) sphinx</i>	Equatorial West Africa	do	E	16	NA	NA
Mangabey, Tana River	<i>Cercopithecus galeritus galenitus</i>	Kenya	do	E	3	NA	NA
Mangabey, white-collared	<i>Cercopithecus torquatus</i>	Senegal to Ghana; Nigeria to Gabon.	do	E	16	NA	NA
Margay	<i>Leopardus (=Felis) wiedii</i>	U.S.A. (TX), Central and South America.	Mexico southward	E	5	NA	NA
Marmoset, chiliman (=wild goat)	<i>Capra falconeri (=aegagrus) chilimanensis</i> .	Chiliman Range of west-central Pakistan.	Entire	E	15	NA	NA
Markhor, Kabul	<i>Capra falconeri megacephala</i>	Afghanistan, Pakistan	do	E	15	NA	NA
Markhor, straight-horned	<i>Capra falconeri falconeri</i>	do	do	E	15	NA	NA
Marmoset, buff-headed	<i>Callithrix flaviceps</i>	Brazil	do	E	139	NA	NA
Marmoset, cotton-top	<i>Saguinus oedipus</i>	Costa Rica to Colombia	do	E	16	NA	NA
Marmoset, Goeldi's	<i>Callithrix geoffedi</i>	Brazil; Colombia, Ecuador, Peru, Bolivia.	do	E	3	NA	NA
Marmoset, white-eared (=buffy tuff-ed-ear)	<i>Callithrix auna (=jacchus a.)</i>	Brazil	do	E	233	NA	NA
Marmot, Vancouver Island	<i>Marmota vancouverensis</i>	Canada (Vancouver Island)	do	E	139	NA	NA
Marmot, eastern jerboa	<i>Antechinomys laniger</i>	Australia	do	E	4	NA	NA
Marsupial-mouse, large desert	<i>Sminthopsis paemophilus</i>	do	do	E	4	NA	NA
Marsupial-mouse, long-tailed	<i>Sminthopsis longicaudata</i>	Taiwan	do	E	3	NA	NA
Marten, Formosan yellow-throated	<i>Martes flavigula chinensis</i>	Equatorial Guinea, People's Republic of Congo, Cameroon, Gabon.	do	E	16	NA	NA
Monkey, black howler	<i>Alouatta pigra</i>	Mexico, Guatemala, Belize	do	T	16	NA	17.40(c)
Monkey, Diana	<i>Ceropithecus diana</i>	Coastal West Africa	do	E	16	NA	NA
Monkey, Guizhou snub-nosed	<i>Rhinopithecus brelichi</i>	China	do	E	400	NA	NA
Monkey, L'hoest's	<i>Ceropithecus lhoesti</i>	Upper eastern Congo R. Basin, Cameroon.	do	E	16	NA	NA
Monkey, mantled howler	<i>Alouatta palliata</i>	Mexico to South America	do	E	15	NA	NA
Monkey, Preuss' red colobus	<i>Procolobus (=Colobus) preussi</i> (= <i>badus p.</i>)	Cameroon	do	E	139	NA	NA
Monkey, proboscis	<i>Nasalis larvatus</i>	Borneo	do	E	15	NA	NA

§ 17.11

50 CFR Ch. I (10-1-08 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Monkey, red-backed squirrel	<i>Saimiri oerstedii</i>	Costa Rica, Panama	E	do	E	3	NA	NA
Monkey, red-bellied	<i>Cercopithecus erythrastus</i>	Western Nigeria	E	do	E	16	NA	NA
Monkey, red-eared nose-spotted	<i>Cercopithecus erythrolaemus</i>	Nigeria, Cameroon, Fernando Po	E	do	E	400	NA	NA
Monkey, Sichuan snub-nosed	<i>Rhinopithecus roxellana</i>	China	E	do	E	3	NA	NA
Monkey, spider	<i>Atelis geoffroyi frontatus</i>	Costa Rica, Nicaragua	E	do	E	3	NA	NA
Do	<i>Atelis geoffroyi panamensis</i>	Costa Rica, Panama	E	do	E	3	NA	NA
Monkey, Tana River red colobus	<i>Procolobus (=badulus) rufomitratus</i>	Kenya	E	do	E	3	NA	NA
Monkey, Tonkin snub-nosed	<i>Rhinopithecus avunculus</i>	Vietnam	E	do	E	16, 400	NA	NA
Monkey, woolly spider	<i>Brachyteles arachnoides</i>	Brazil	E	do	E	3	NA	NA
Monkey, yellow-tailed wooly	<i>Lagothrix flavicauda</i>	Andes of northern Peru	E	do	E	16	NA	NA
Monkey, Yunnan snub-nosed	<i>Rhinopithecus bielu</i>	China	E	do	E	400	NA	NA
Monkey, Zanzibar red colobus	<i>Procolobus (=Colobus) pennantii</i>	Tanzania	E	do	E	3	NA	NA
Mountain beaver, Point Arena	<i>Aplodonia rufa nigra</i>	U.S.A. (CA)	E	do	E	454	NA	NA
Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>	U.S.A. (AL)	E	do	E	183	17.95(a)	NA
Mouse, Anastasia island beach	<i>Peromyscus polionotus phasma</i>	U.S.A. (FL)	E	do	E	349	NA	NA
Mouse, Australian native	<i>Notomys aquilo</i>	Australia	E	do	E	15	NA	NA
Do	<i>Zyzomys pedunculatus</i>	E	do	E	15	NA	NA
Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophys</i>	U.S.A. (FL)	E	do	E	183	17.95(a)	NA
Mouse, Field's	<i>Pseudomys fieldi</i>	Australia	E	do	E	4	NA	NA
Mouse, Gould's	<i>Pseudomys gouldii</i>	E	do	E	6	NA	NA
Mouse, Key Largo cotton	<i>Peromyscus gossypinus</i>	U.S.A. (FL)	E	do	E	131E,	NA	NA
Mouse, New Holland	<i>Pseudomys novaehollandiae</i>	Australia	E	do	E	160	NA	NA
Mouse, Pacific pocket	<i>Perognathus longimembris</i>	U.S.A. (CA)	E	do	E	4	NA	NA
Mouse, Perdido Key beach	<i>Peromyscus polionotus trissylepis</i> .	U.S.A. (AL, FL)	E	do	E	526E, 554	NA	NA
Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	U.S.A. (CO, WY)	E	do	E	183	17.95(a)	NA
				U.S.A., north-central CO (that portion of Colorado west of 103 degrees 40 minutes West, north of 38 degrees 30 minutes North, and east of 105 degrees 50 minutes West). Entire	T	636	17.95(a)	17.40(l)
					E
				U.S.A. (CA)	E	2	NA	NA
				Australia	E	4	NA	NA
				E	4	NA	NA
				E	4	NA	NA
				T	349	NA	NA
				E	655	17.95(a)	NA
				E	4	NA	NA
				E	50	NA	NA
							
				Reithrodontomys raviventris				
				<i>Pseudomys praecox</i>				
				<i>Pseudomys shortridgei</i>				
				<i>Pseudomys tenuirostris</i>				
				<i>Peromyscus polionotus niveiventer</i>				
				<i>Peromyscus polionotus peninsularis</i>				
				<i>Mus musculus occidentalis</i>				
				<i>Muntiacus feae</i>				
				<i>Muntiacus thamnophilus</i>				

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Native-cat, eastern	Australia	E	6	NA
Numbat	do	do	do	NA
Ocelot	U.S.A. (AZ, TX) to Central and South America	E	4, 6 5, 119	NA
Orangutan	Borneo, Sumatra	E	3	NA
Oryx, Arabian	North Africa	E	3	NA
Oryx, scimitar-horned	Cameroun, Nigeria	E	3	NA
Otter, Cameroon clawless	South America	E	3	NA
Otter, giant	do	do	NA	NA
Otter, long-tailed	do	do	NA	NA
Otter, marine	Peru south to Straits of Magellan	E	15	NA
Otter, northern sea	U.S.A. (AK, WA)	E	NA	NA
Do	Chile, Argentina	E	15	NA
Otter, southern river	West Coast, U.S.A. (CA, OR, WA) south to Mexico (Baja California).	T	21, 284	NA
Otter, southern sea	do	XN	284	NA
Panda, giant	All areas subject to U.S. jurisdiction south of Pt. Conception, CA (34°26' N. Lat.) [Note—status governed by Pub. L. 99-625, 100 Stat. 3500].	E	139	NA
Pangolin, Temminck's ground	Entire	E	15	NA
Panther, Florida	do	E	1	NA
Planigale, little	Africa	E	NA	NA
Planigale, southern	U.S.A. (LA and AR east to SC and FL).	E	NA	NA
Porcupine, thin-spined	Australia	E	4	NA
Possum, Leadbeater's	do	E	4	NA
Possum, mountain pygmy	Brazil	E	3	NA
Possum, scaly-tailed	Australia	E	233	NA
Prairie dog, Mexican	do	E	4	NA
Prairie dog, Utah	Mexico	E	4	NA
Pronghorn, peninsular	U.S.A. (UT)	T	3	NA
Pronghorn, Sonoran	Mexico (Baja California)	E	149	NA
Pudu	U.S.A. (AZ), Mexico	E	10	NA
Puma (=mountain lion)	do	E	1, 3	NA
Puma, Costa Rican	Southern South America	E	15	NA
Puma (=cougar), eastern	Canada to South America	(S/A)	432	NA
Quokka	Nicaragua, Panama, Costa Rica	E	15	NA
Puma (=Felis) concolor	Entire	E	6	NA
costaricensis	do	E	6	NA
Puma (=Felis) concolor couguar	do	E	6	NA
Setonix brachyurus	do	E	6	NA

§ 17.11

50 CFR Ch. I (10-1-08 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Rabbit, Columbia Basin pygmy	<i>Brachylagus idahoensis</i>	U.S.A. (western conterminous U.S.).	U.S.A. (western conterminous U.S.).	U.S.A. (WA—Douglas, Grant, Lincoln, Adams, Benton Counties). Entire	E		NA	NA
Rabbit, Lower Keys	<i>Sylvilagus palustris hefneri</i>	U.S.A. (FL)	U.S.A. (FL)	do	E	390	NA	NA
Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>	U.S.A. (CA)	Japan (Ryukyu Islands)	do	E	687	NA	NA
Rabbit, Ryukyu	<i>Pentalagus furnessii</i>	Mexico	Mexico	do	E	50	NA	NA
Rabbit, volcano	<i>Romerolagus diazi</i>	Australia	Australia	do	E	3	NA	NA
Rat, false water	<i>Xeromys myoides</i>	do	do	do	E	4	NA	NA
Rat, stick-neck	<i>Leporillus conditor</i>	do	do	do	E	6	NA	NA
Rat-kangaroo, brush-tailed	<i>Bettongia penicillata</i>	do	do	do	E	4	NA	NA
Rat-kangaroo, desert (-plain)	<i>Caloprymnus campbelli</i>	do	do	do	E	4	NA	NA
Rat-kangaroo, Gaimard's	<i>Bettongia gaimardi</i>	do	do	do	E	6	NA	NA
Rat-kangaroo, Lesuer's	<i>Bettongia lesueuri</i>	do	do	do	E	4	NA	NA
Rat-kangaroo, Queen Island	<i>Bettongia tropica</i>	do	do	do	E	4	NA	NA
Rhinoceros, black	<i>Dicerorhinus bicornis</i>	India, Nepal	Sub-Saharan Africa	do	E	97	NA	NA
Rhinoceros, great Indian	<i>Rhinoceros unicornis</i>	India, Indonesia, Indochina, Burma, Thailand, Sikkim, Bangladesh, Malaysia.	India, Indonesia, Indochina, Burma, Thailand, Sikkim, Bangladesh, Malaysia.	do	E	4	NA	NA
Rhinoceros, Javan	<i>Rhinoceros sondaicus</i>	Zaire, Sudan, Uganda, Central African Republic.	Zaire, Sudan, Uganda, Central African Republic.	do	E	3	NA	NA
Rhinoceros, northern white	<i>Ceratotherium simum cottoni</i>	Bangladesh to Vietnam to Indonesia (Borneo).	Bangladesh to Vietnam to Indonesia (Borneo).	do	E	3	NA	NA
Rhinoceros, Sumatran	<i>Dicerorhinus sumatrensis</i>	U.S.A. (FL)	Lower FL Keys (west of Seven Mile Bridge).	do	E	421	17.95(a)	NA
Rice rat	<i>Oryzomys palustris natator</i>	do	Entire	do	E	15	NA	NA
Saiga, Mongolian (antelope)	<i>Saiga tatarica mongolica</i>	Mongolia	Lower FL Keys (west of Seven Mile Bridge).	do	E	233	NA	NA
Saki, southern bearded	<i>Chiropotes satanas satanas</i>	Brazil	Entire	do	E	3	NA	NA
Saki, white-nosed	<i>Chiropotes albinasus</i>	U.S.A. (AK, CA, OR, WA), Canada, Russia; North Pacific Ocean.	Entire, except the population segment west of 144° W. Long.	do	T	384E, 408, 614	226.202	223.202
Seal, Steller	<i>Eumetopias jubatus</i>	do	Population segment west of 144° W. Long.	do	E	384E, 408, 614	226.202	NA
Do	do	Caribbean Sea, Gulf of Mexico	Entire	do	E	1, 2D, 45	NA	NA
Seal, Caribbean monk	<i>Monachus tropicalis</i>	U.S.A. (Farallon Islands of CA) Revillagigedo.	Entire	do	T	1, 2D, 212	223.201	
Seal, Guadalupe fur	<i>Arctocephalus townsendi</i>	U.S.A. (H)	U.S.A. (H)	do	E	18	226.201	NA
Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	Northwest African Coast and Black Sea.	Northwest African Coast and Black Sea.	do	E	3	NA	NA
Seal, Mediterranean monk	<i>Monachus monachus</i>	Finland (Lake Saimaa)	Finland (Lake Saimaa)	do	E	508	NA	NA
Seal, Saimaa	<i>Phoca hispida saimensis</i>	Bangladesh, Southeast Asia, India.	Bangladesh, Southeast Asia, India.	do	E	3	NA	NA
Seledang	<i>Bos gaurus</i>	East Asia, Sumatra	East Asia, Sumatra	do	E	15	NA	NA
Serow	<i>Naemorhedus (=Capricornis) sumatrænsis</i>							

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Serval, Barbary	<i>Lepailurus (=Felis) serval constantina.</i>	Algeria	do	NA	NA
Shao	<i>Ovis vignei vignei</i>	Kashmir	do	NA	NA
Sheep, bighorn	<i>Ovis canadensis</i>	U.S.A. (Western conterminous states), Canada (southwestern), Mexico (northern).	U.S.A. (CA) Peninsular Ranges ..	17.95(a)	NA
Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	U.S.A. (CA)—Sierra Nevada	U.S.A. (CA)—Sierra Nevada	17.95(a)	NA
Shou	<i>Cervus elaphus walichii</i>	Entire	E 3	NA	NA
Shrew, Buena Vista Lake	<i>Sorex ornatus relicus</i>	Entire	E 15	NA	NA
Siamang	<i>Sympalangus syndactylus</i>	Entire	E 634	NA	NA
Sřákás	<i>Propithecus</i> spp.	Entire	E 660E	NA	NA
Sloth, Brazilian three-toed	<i>Bradypus torquatus</i>	do	E 675	NA	NA
Solenodon, Cuban	<i>Solenodon cubanus</i>	do	E 725	NA	NA
Solenodon, Haitian	<i>Solenodon paradoxus</i>	do	E 15	NA	NA
Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	do	E 4	NA	NA
Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cineratus</i>	do	E 1, 161	NA	NA
Do	do	Entire, except Sussex Co., DE	XN	NA	NA
Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus</i>	do	E 161	NA	NA
Squirrel, northern Idaho ground	<i>Spermophilus brunnneus</i>	do	E 268	NA	NA
Stag, Barbary	<i>Cervus elaphus barbarus</i>	do	E 17.95(a)	NA	NA
Stag, Kashmir	<i>Cervus elaphus hanglu</i>	do	E 1693	NA	NA
Suni, Zanzibar	<i>Neotragus moschatus moschatus</i>	do	E E	NA	NA
Tahr, Arabian	<i>Hemitragus jayakari</i>	do	E E	NA	NA
Tamaraw	<i>Bubalus mindorensis</i>	do	E E	NA	NA
Tamarin, golden-rumped	<i>Leontopithecus</i> spp.	do	E E	NA	NA
Tamarin, pied	<i>Saguinus bicolor</i>	do	E E	NA	NA
Tamarin, white-footed	<i>Saguinus leucopus</i>	do	E T	NA	NA
Tapir, Asian	<i>Tapirus indicus</i>	do	E E	NA	NA
Tapir, Central American	<i>Tapirus bairdii</i>	do	E E	NA	NA
Tapir, mountain	<i>Tapirus pinchaque</i>	do	E E	NA	NA
Tapir, South American (=Brazilian)	<i>Tapirus terrestris</i>	do	E E	NA	NA
Tarsier, Philippine	<i>Tarsius syrichta</i>	do	E E	NA	NA
Tiger, Philippine	<i>Panthera tigris</i>	do	E T	NA	NA
Tiger, Tasmanian	<i>Thylacinus cynocephalus</i>	do	E E	NA	NA
Uakari (all species)	<i>Cacajao</i> spp.	do	E E	NA	NA
Urial	<i>Ovis musimon opion</i>	do	E Cyprus	NA	NA
Vicuña	<i>Vicugna vicugna</i>	Entire, except Ecuador	E 15	NA	NA
Do	do	Ecuador	E 3, 724	NA	NA

§ 17.11

50 CFR Ch. I (10–1–08 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Vole, Amargosa	<i>Microtus californicus scriptensis</i>	<i>U.S.A. (CA)</i>	Entire	Entire	E	166	17.9(a)	NA
Vole, Florida salt marsh	<i>Microtus pennsylvanicus dukemicampbelli.</i>	<i>U.S.A. (FL)</i>	do	do	E	415	NA	NA
Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaeensis</i>	<i>U.S.A. (AZ)</i>	do	do	E	292	NA	NA
Wallaby, banded hare	<i>Lagostrophus fasciatus</i>	<i>Australia</i>	do	do	E	4	NA	NA
Wallaby, brindled nail-tailed	<i>Onychogalea unata</i>	<i>do</i>	do	do	E	4	NA	NA
Wallaby, crescent nail-tailed	<i>Onychogalea lunata</i>	<i>do</i>	do	do	E	4	NA	NA
Wallaby, Parma	<i>Macropus parma</i>	<i>do</i>	do	do	E	4	NA	NA
Wallaby, western hare	<i>Lagorchestes hirsutus</i>	<i>do</i>	do	do	E	4	NA	NA
Whale, yellow-footed rock	<i>Petrogale xanthopus</i>	<i>do</i>	do	do	E	6	NA	NA
Whale, blue	<i>Balaenoptera musculus</i>	<i>Oceanic</i>	Oceanic (north latitudes only)	do	E	3	NA	NA
Whale, bowhead	<i>Balaenoptera mysticetus</i>	<i>Oceanic</i>	North Pacific Ocean—coastal and Bering Sea, formerly North Atlantic Ocean.	Entire	E	3	NA	NA
Whale, finback	<i>Balaenoptera physalus</i>	<i>Oceanic</i>	Entire, except eastern North Pacific Ocean—coastal and Beaufort, and Chukchi Seas.	do	E	3	NA	NA
Whale, gray	<i>Eschrichtius robustus</i>	<i>Oceanic</i>	Entire	do	E	3,540	NA	NA
Whale, humpback	<i>Megaptera novaengliae</i>	<i>Oceanic</i>	Entire	do	E	3	224.101, 224.103	NA
Whale, killer	<i>Orcinus orca</i>	<i>Pacific Ocean</i>	Southern Resident DPS, which consists of whales from the J, K, and L pods, wherever they are found in the wild.	Entire	E	756	NA	NA
Whale, North Atlantic right	<i>Eubalaena glacialis</i>	<i>Oceanic</i>	do	do	E	3	226.203	224.103
Whale, North Pacific right	<i>Eubalaena japonica</i>	<i>do</i>	do	do	E	3	NA	NA
Whale, Southern right	<i>Eubalaena australis</i>	<i>do</i>	do	do	E	3	NA	NA
Whale, Sei	<i>Balaenoptera borealis</i>	<i>do</i>	do	do	E	3	NA	NA
Whale, sperm	<i>Physeter catodon</i> (= <i>macrocephalus</i>)	<i>do</i>	do	do	E	3	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Wolf, gray	<i>Canis lupus</i>	Holarctic	E U.S.A., conterminous (lower 48) States, except: (1) Where listed as an experimental population below; (2) Minnesota, Wisconsin, Michigan, eastern North Dakota (that portion north and east of the Missouri River upstream to Lake Sakakawea and east of the centerline of Highway 83 from Lake Sakakawea to the Canadian border); eastern South Dakota (that portion north and east of the Missouri River), northern Iowa, northern Illinois, and northern Indiana (those portions of IA, IL, and IN north of the centerline of Interstate Highway 80), and northwestern Ohio (that portion north of the centerline of Interstate Highway 80 and west of the Maumee River at Toledo); and (3) Montana, Idaho, Wyoming, eastern Washington (that portion of Washington east of the Centerline of Highway 97 and Highway 17 north of Mesa and that portion of Washington east of the centerline of Highway 395 south of Mesa), eastern Oregon (portion of Oregon east of the centerline of Highway 395 and Highway 78 north of Burns Junction and that portion of Oregon east of the centerline of Highway 84 and north of Highway 80), Mexico.	1, 6, 13, 15, 35 NA	NA
Do do do	U.S.A. (portions of AZ, NM, and TX—see § 17.84(k)).	XN do	17.84(k)
Wolf, maned	<i>Chrysocyon brachyurus</i>	Argentina, Bolivia, Brazil, Paraguay, Uruguay	Entire	E Entire	NA NA
Wolf, red	<i>Canis rufus</i>	U.S.A. (SE U.S.A., west to central TX).	Entire, except where listed as experimental populations below.	E E E 449, 579	NA NA NA NA

§ 17.11

50 CFR Ch. I (10-1-08 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Dodo.....do.....do.....	U.S.A. (portions of NC and TN—see 17.84(c)(9)).	XN	248, 449, 579	NA	17.84(c)
Wombat, Queensland hairy-nosed (incl. Barnard's), Woodrat, Key Largo	<i>Lasiorhinus krefftii</i> (formerly <i>L. barnardi</i> and <i>L. gillespiei</i>). <i>Neotoma fodienda smalli</i>	Australia	E	4, 6	NA	NA
Woodrat, riparian (San Joaquin Valley).	<i>Neotoma fuscipes riparia</i>	U.S.A. (FL)	E	131E, 160	NA	NA
Yak, wild	<i>Bos mutus</i> (=grunniens m.)	China (Tibet), India	do	E	687	NA	NA
Zebra, Grey's	<i>Equus grevyi</i>	Kenya, Ethiopia, Somalia	do	E	3	NA	NA
Zebra, Hartmann's mountain	<i>Equus zebra hartmannae</i>	Namibia, Angola	do	T	54	NA	NA
Zebra, mountain	<i>Equus zebra zebra</i>	South Africa	do	E	15, 111	NA	NA
BIRDS								
'Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>	U.S.A. (HI)	do	E	2	NA	NA
'Akepa, Maui (honeycreeper)	<i>Loxops coccineus ochraceus</i>	do	do	E	2	NA	NA
'Akialoa, Kauai (honeycreeper)	<i>Hemignathus procerus</i>	do	do	E	1	NA	NA
'Akapola au ('honeycreeper)	<i>Hemignathus munroi</i>	do	do	E	1	NA	NA
Albatross, Amsterdam	<i>Dionaea amsterdamensis</i>	Indian Ocean—Amsterdam Island,	E	571	NA	NA
Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i> .	North Pacific Ocean and Bering Sea—Canada, China, Japan, Mexico, Russia, Taiwan, U.S.A. (AK, CA, HI, OR, WA).	do	E	3, 700	NA	NA
Alethe, Thyo	<i>Alatitis choloensis</i>	Malawi, Mozambique	E	571	NA	NA
Blackbird, yellow-shouldered	<i>Agelaius xanthomus</i>	U.S.A. (PR)	do	E	17	17.95(b)	NA
Bobwhite, masked (quail)	<i>Colinus virginianus "ridgwayi"</i>	U.S.A. (AZ), Mexico (Sonora)	do	E	1, 3	NA	NA
Booby, Abbott's	<i>Papasula (=Sula) abbotti</i>	Indian Ocean—Christmas Island	do	E	15	NA	NA
Bristlebird, western	<i>Dasyornis longirostris</i> (=brachypterus l.)	Australia	do	E	3	NA	NA
Bristlebird, western rufous	<i>Dasyornis broadbenti littoralis</i>	do	do	E	15	NA	NA
Bulbul, Mauritius oliveaceous	<i>Hypsipetes borbonicus olivaceus</i>	Indian Ocean—Mauritius	do	E	3	NA	NA
Bullfinch, Sao Miguel (finch)	<i>Pyrrhula pyrrhula murina</i>	Eastern Atlantic Ocean—Azores	do	E	3	NA	NA
Bush-shrike, Ulugura	<i>Malacocichla alluaudi</i>	Tanzania	do	T	571	NA	NA
Bushwren, New Zealand	<i>Xenicus longipes</i>	New Zealand	do	E	3	NA	NA
Bustard, great Indian	<i>Ardeotis (=Choriots) nigriceps</i>	India, Pakistan	do	E	3	NA	NA
Cahow	<i>Pterodroma cahow</i>	North Atlantic Ocean—Bermuda	do	E	3	NA	NA
Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	U.S.A. (FL)	T	280	NA	NA
Condor, Andean	<i>Vultur gryphus</i>	Entire	E	4	NA	NA
Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only, except where listed as an experimental population below.	do	E	1, 597	17.95(b)	NA
Dodo.....	U.S.A. (specific portions of Arizona, Nevada, and Utah).	do	XN	597	NA	17.84(i)
Coot, Hawaiian	<i>Fulica americana alai</i>	U.S.A. (HI)	E	2	NA	NA
Cotinga, banded	<i>Cotinga maculata</i>	Brazil	E	15	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Colunga, white-winged	<i>Xipholema atropurpurea</i>	do	E	15	NA
Crane, black-necked	<i>Grus nigricollis</i>	China (Tibet)	E	15	NA
Crane, Cuba sandhill	<i>Grus canadensis neoscotica</i>	West Indies—Cuba	E	15	NA
Crane, hooded	<i>Grus monacha</i>	Japan, Russia	E	4	NA
Crane, Japanese	<i>Grus japonensis</i>	China, Japan, Korea, Russia	E	3	NA
Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	do	E	6	17.95(b)
Crane, Siberian white	<i>Grus leucogeranus</i>	U.S.A. (MS)	E	4	NA
Crane, white-naped	<i>Grus vipio</i>	C.I.S. (Siberia) to India, including Iran and China.	E	15	NA
Crane, whooping	<i>Grus americana</i>	Mongolia	E	1, 3	17.95(b)
Do	do	Canada, U.S.A. (Rocky Mountains east to Carolinas), Mexico.	E	1, 3	NA
Creeper, Hawaii	<i>Oreomyzpis mana</i>	Entire, except where listed as an experimental population.	U.S.A. (AL, AR, CO, FL, GA, ID, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, NM, OH, SC, TN, UT, VA, WI, WV, WY).	487, 621, 710	NA
Creeper, Molokai	<i>Paroreomyza flammula</i>	Entire	E	10	NA
Creeper, Oahu	<i>Paroreomyza maculata</i>	do	E	2	NA
Crow, Hawaiian	<i>Corvus hawaiiensis</i>	do	E	2	NA
Crow, Mariana	<i>Corvus kubaryi</i>	do	E	1	NA
Crow, white-necked	<i>Corvus leucognaphalus</i>	Western Pacific Ocean USA (Guam, Rota).	E	156	17.95(b)
Cuckoo-shrike, Mauritius	<i>Coracina typicus</i>	U.S.A. (PR), Dominican Republic, Haiti.	E	419	NA
Cuckoo-shrike, Reunion	<i>Coracina newtoni</i>	Indian Ocean—Mauritius	E	3	NA
Curassow, razor-billed	<i>Mitu mitu mitu</i>	Indian Ocean—Reunion	E	3	NA
Curassow, red-billed	<i>Crax blumenbachii</i>	Brazil (Eastern)	E	15	NA
Curassow, Trinidad White-headed	<i>Pipile pipile pipile</i>	Brazil	E	4	NA
Curlew, Eskimo	<i>Numenius borealis</i>	West Indies—Trinidad	E	3	NA
Dove, cloven-feathered	<i>Drepanoptila holoseicea</i>	Alaska and northern Canada to Argentina.	E	1, 3	NA
Dove, Grenada gray-fronted	<i>Leptotila rufaxilla wellsii</i>	Southwest Pacific Ocean—New Caledonia.	E	3	NA
Duck, Hawaiian	<i>Anas wyvilliana</i>	West Indies—Grenada	E	3	NA
Duck, Layian	<i>Anas diaxanensis</i>	U.S.A. (HI)	E	1	NA
Duck, pink-headed	<i>Rhodonessa caroprynfifacea</i>	do	E	15	NA
Duck, white-winged wood	<i>Cairina scutulata</i>	India	E	3	NA

§ 17.11

50 CFR Ch. I (10-1-08 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Eagle, bald	<i>Haliaeetus leucocephalus</i>	North Arizona: South to northern Mexico.	Arizona: (1) Yavapai, Gila, Graham, Pinal, and Maricopa Counties; and, (2) Southern Mohave County (that portion south and east of the center of Interstate Highway 40 and east of Arizona Highway 95), eastern LaPaz County (that portion east of the centerline of U.S. and Arizona Highways 95), and north of the centerline of Interstate Highway 8).	Entire	T	NA	17.41(a)
Eagle, Greenland white-tailed	<i>Haliaeetus albicilla groenlandicus</i>	Greenland and adjacent Atlantic islands.	Mexico south to Argentina	do	E	15	NA	NA
Eagle, harpy	<i>Haliaeetus vociferoides</i>	Madagascar	do	do	E	15	NA	NA
Eagle, Madagascar serpent	<i>Eutrochus astur</i>	Philippines	do	do	E	571	NA	NA
Eagle, Philippine	<i>Pithecophaea jefferyi</i>	Spain, Morocco, Algeria	do	do	E	3	NA	NA
Eagle, Spanish imperial	<i>Aquila heliaca adalberti</i>	China, Korea	do	do	E	3	NA	NA
Egret, Chinese	<i>Egretta eulophotes</i>	U.S.A. (AK) Russia	do	do	E	503	17.95(b)	NA
Eider, spectacled	<i>Somateria fischeri</i>	U.S.A. (AK) breeding population only.	do	do	T	616	17.95(b)	NA
Eider, Steller's	<i>Polypterus sterleri</i>	U.S.A. (HI)	Entire	Entire	E	696	17.95(b)	NA
Elepaio, Oahu	<i>Chasiempis sandwichensis ibidis</i> (Gmelin)	Europe, Eurasia south to Africa and Mideast.	do	do	E	15	NA	NA
Falcon, Eurasian peregrine	<i>Falco peregrinus peregrinus</i>	U.S.A. (AZ, NM, TX), Mexico, Guatemala.	Entire, except where listed as an experimental population. U.S.A. (AZ, NM)	do	E	216	NA	NA
Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	U.S.A. (H)	Entire	do	XN	758	NA	17.84(g)
Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	do	do	do	E	1	NA	NA
Finch, Laysan (honeycreeper)	<i>Telespyza cantans</i>	West Indies—Grenada	do	do	E	1	NA	NA
Finch, Nihoa (honeycreeper)	<i>Telespyza ultima</i>	Indian Ocean—Seychelles	do	do	E	3	NA	NA
Flycatcher, Euler's	<i>Empidonax euleri johnstonei</i>	U.S.A. (AZ, CA, CO, NM, TX, UT), Mexico.	do	do	E	577	NA	17.95(b)
Flycatcher, Seychelles paradise	<i>Terpsiphone corvinata</i>	South Pacific Ocean—Tahiti	do	do	E	3	NA	NA
Flycatcher, southwestern willow	<i>Empidonax traillii exigimus</i>	Indian Ocean—Mauritius	do	do	E	571	NA	NA
Flycatcher, Tahiti	<i>Pomarea nigra</i>	Indian Ocean—Rodrigues Island (Mauritius). Indian Ocean—Seychelles	do	do	E	3	NA	NA
Fody, Mauritius	<i>Foudia rubra</i>	Djibouti	do	do	E	571	NA	NA
Fody, Rodrigues	<i>Foudia flavicans</i>	East Indian Ocean	do	do	E	3	NA	NA
Fody, Seychelles (weaver-finch)	<i>Foudia sechellarum</i>	U.S.A. (CA), Mexico	do	do	E	571	NA	NA
Frigatebird, Andrew's	<i>Fregata andrewsi</i>	do	do	E	15	NA	NA
Gnatcatcher, coastal California	<i>Poliopilla californica californica</i>	do	do	T	496	17.95(b)	17.41

U.S. Fish and Wildlife Serv., Interior

§ 17.11

oose, Hawaiian	Branta (=Nesochen) sandicensis	U.S.A. (HI)	do
oshawk, Christians Island	Accipiter fasciatus natalis	Indian Ocean—Christmas Island	3
rackle, slender-billed	Quiscalis palustris	Mexico	3
rasswren, Eryean (flycatcher)	Amytornis goedeli	Australia	3
rebe, Aitaoa	Tachybaptus rufiflavus	Madagascar	571
rebe, Aitai	Podilymbus gigas	Russia, Japan, south to Maya, Borneo, Guatemala, Mexico	3
reenshank, Nordmann's	Tringa guttifer	Peru	15
uan, horned	Oreophasis derbianus	Guatemala, Mexico	15
uan, white-winged	Penelope atropennis	Peru	do
uineatowl, white-breasted	Aeglaetes melanoptera	West Africa	do
ull, Audouin's	Larus audouinii	Mediterranean Sea	do
ull, reef	Larus relictus	India, China	do
awk, Galapagos	Buteo galapagoensis	Ecuador (Galapagos Islands)	do
awk, Hawaiian	Buteo solitarius	U.S.A. (HI)	do
awk, Puerto Rican broad-winged hawk	Buteo platypterus brumescens	U.S.A. (PR)	do
ermitt, hook-billed (hummingbird)	Ramphodina (=Glaucis) dohrnii	Brazil	do
oneye reper, crested	Panteria dolei	U.S.A. (HI)	do
oneyeater, helmeted	Lichenostomus melanops	Australia	do
ombill, helmeted	Cassidix (=Meliphaga) c.	Thailand, Malaysia	do
is, giant	Buceros (=Rhinopias) vigili	Vietnam, Cambodia, Lao PDR, Thailand, Vietnam	do
akapo	Pseudibis gigantea	China, Japan, Russia, Korea	15
estrel, Mauritius	Nipponia nippon	Southern Europe, southwestern Asia, northern Africa	760
estrel, Seychelles	Geronticus eremita	South Pacific Ocean—New Caledonia	4
ingfisher, Guam Micronesian	Rhynchoetos jubatus	Thailand, New Zealand	4
ite, Cuba hook-billed	Strigops habroptilus	China, Japan—Mauritius	15
ite, Everglade snail	Falco punctatus	Indian Ocean—Seychelles Islands	3
ite, Grenada hook-billed	Falco area	Western Pacific Ocean USA	3
okako (wattlebird)	Halycon cinnamominina	West Indies—Cuba	156
ark, Raso	Chondrohierax uncinatus wilsonii	U.S.A. (FL), Cuba	17.95(b)
lacaw, glaucous	Rostrhamus sociabilis plumbeus	West Indies—Grenada	do
lacaw, indigo	Chondrohierax uncinatus mirus	New Zealand	do
lacaw, little blue	Calaeas cinerea	Atlantic Ocean—Raso Island (Cape Verde)	do
lagpier-robin, Seychelles (thrush)	Alauda razae	Paraguay, Uruguay, Brazil	do
laimiribe, Ibadan, red-faced (cuckoo)	Anodorhynchus glaucus	Brazil	do
legapode, Maeto	Anodorhynchus leari	do	do
legapode, Micronesian (=La Perouse's)	Cyanopitta spixii	do	do
lalaimiribe, Ibadan, red-faced (cuckoo)	Copsychus sechellorum	do	do
lalaimiribe, Ibadan, red-faced (cuckoo)	Malimbus ibadensis	do	do
lalaimiribe, Ibadan, red-faced (cuckoo)	Phoenicophaeus pyrrhogaster	Sri Lanka (=Ceylon)	do
lalaimiribe, Ibadan, red-faced (cuckoo)	Macrocephalon maleo	Indonesia (Celebes)	do
lalaimiribe, Ibadan, red-faced (cuckoo)	Megapodus laporeuse	West Pacific U.S.A.—Pilau Islands	do
lalaimiribe, Ibadan, red-faced (cuckoo)	Megapodus laporeuse	West Pacific U.S.A. (Marina Islands)	do

§ 17.11

50 CFR Ch. I (10-1-08 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Millerbird, Nihoa (old world warbler).	<i>Acrocephalus familiaris kingi</i>	U.S.A. (HI)	do	do	E	1	NA	NA
Mockingbird, Socorro	<i>Mimus graysoni</i>	Mexico	do	do	E	760	NA	NA
Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	U.S.A. (HI)	do	do	E	156	NA	NA
Moorhen, Mariana common	<i>Gallinula chloropus guamensis</i>	(Guam, Tinian, Saipan, Pagan), U.S.A. (AK, CA, OR, WA), Canada (B.C.)	do	do	T	479	17.95(b)	NA
Murrelet, marbled	<i>Brachyramphus marmoratus</i>	Entire	do	do	E	6	NA	NA
Nightjar, Puerto Rican	<i>Caprimulgus noctitherus</i>	U.S.A. (PR)	do	do	E	1,257	NA	NA
Nukupū'u (honeycreeper)	<i>Hemignathus lucidus</i>	U.S.A. (HI)	do	do	E	1	NA	NA
Nuthatch, Algerian	<i>Sitta ledanti</i>	Algeria	do	do	E	3	NA	NA
O'o, Kauai (honeyeater)	<i>Moho braccatus</i>	U.S.A. (HI)	do	do	E	3	NA	NA
Ostrich, Arabian	<i>Struthio camelus syriacus</i>	Jordan, Saudi Arabia	do	do	E	1	NA	NA
Ostrich, West African	<i>Struthio camelus camelus</i>	Spanish Sahara	do	do	E	3	NA	NA
'Ou (honeycreeper)	<i>Pitirostris psilata</i>	U.S.A. (HI)	do	do	E	15	NA	NA
Owl, Anjouan scops	<i>Otus rufilatus capnodes</i>	Indian Ocean—Comoro Island	do	do	E	3	NA	NA
Owl, giant scops	<i>Mimizuku (=Otus) gurneyi</i>	Philippines—Marinduque and Mindanao Island	do	do	E	401	NA	NA
Owl, Madagascar red	<i>Tyto soumagnei</i>	Madagascar	do	do	T	494	17.95(b)	NA
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	U.S.A. (AZ, CO, NM, TX, UT), Mexico	do	do	T	393	17.95(b)	NA
Owl, northern spotted	<i>Strix occidentalis caurina</i>	U.S.A. (CA, OR, WA), Canada (B.C.), Indian Ocean—Seychelles Islands	do	do	E	3	NA	NA
Owl, Seychelles scops	<i>Otus magicus (=insularis)</i> <i>insularis</i> .	Kenya	do	do	E	3	NA	NA
Owllet, Morden's	<i>Asio ireneae</i>	Atlantic Ocean—Canary Islands	do	do	E	571	17.95(b)	NA
Oystercatcher, Canarian black	<i>Haematopus meadewaldoi</i>	U.S.A. (HI)	do	do	E	760	NA	NA
Palia (honeycreeper)	<i>Loxoides bailleui</i>	Indonesia	do	do	E	3	NA	NA
Paradise-flycatcher, caerulean	<i>Eutrichomyias rowleyi</i>	Brazil	do	do	E	3	NA	NA
Parakeet, blue-throated (=ochre-marked)	<i>Pyrrhura cruentata</i>	New Zealand	do	do	E	3	NA	NA
Parakeet, Forbes'	<i>Cyanoramphus auriceps forbesi</i>	Brazil	do	do	E	15	NA	NA
Parakeet, golden	<i>Aratinga canicularis</i>	Australia	do	do	E	3	NA	NA
Parakeet, golden-shouldered	<i>Psephotus chrysogaster</i>	India Ocean—Mauritius	do	do	E	3	NA	NA
Parakeet, Mauritius	<i>Psephotus pulcherrimus</i>	Australia (Norfolk Island)	do	do	E	401	NA	NA
Parakeet, Norfolk island	<i>Cyanoramphus cookii</i> (<i>=novaezealandiae</i> C.).	Australia	do	do	E	4	NA	NA
Parakeet, orange-bellied	<i>Neophema chrysogaster</i>	Australia	do	do	E	4	NA	NA
Parakeet, paradise	<i>Psephotus pulcherrimus</i>	Australia	do	do	E	4	NA	NA
Parakeet, golden-shouldered	<i>Neophema splendida</i>	West Indies—Cuba, Bahamas, Caymans	do	do	E	3	NA	NA
Parakeet, scarlet-chested	<i>Neophema pulchella</i>	West Indies—Cuba, Bahamas, Caymans	do	do	E	3, 15	NA	NA
Parrot, Bataman or Cuban	<i>Amazona leucocephala</i>	Australia	do	do	E	6	NA	NA
Parrot, ground	<i>Pezoporus wallicus</i>	Australia	do	do	E	3	NA	NA
Parrot, imperial	<i>Amazona imperialis</i>	West Indies—Dominica	do	do	E	3	NA	NA
Parrot, night (=Australian)	<i>Geopithecus occidentalis</i>	Australia	do	do	E	3	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Parrot, Puerto Rican	U.S.A. (PR)	E	do	NA
Parrot, red-browed	Brazil	E	do	NA
Parrot, red-capped	do	E	do	NA
Parrot, red-necked	West Indies—Dominica	E	do	NA
Parrot, red-shouldered	Brazil, Argentina	E	do	NA
Parrot, red-tailed	Brazil	E	do	NA
Parrot, Seychelles lesser vasa	Indian Ocean—Seychelles (Praslin Island), West Indies—St. Vincent	E	do	NA
Parrot, St. Vincent	West Indies—St. Lucia	E	do	NA
Parrot, St. Lucia	Mexico	E	do	NA
Parrot, thick-billed	Mexico, U.S.A. (AZ, NM)	E	do	NA
Parrot, vinaceous-breasted	Brazil	E	do	NA
Parrotbill, Maui (honeycreeper)	U.S.A. (HI)	E	do	NA
Pelican, brown	U.S.A. (Carolinas to TX, CA, OR, WA) West Indies, coastal Central and South America. Ecuador (Galapagos Islands)	E	do	NA
Penguin, Galapagos	U.S.A. (HI)	E	do	NA
Perei, Hawaiian dark-rumped	Pterodroma sandwichensis	E	do	NA
Petrel, Madeira	Pterodroma madeira	E	do	NA
Petrel, Macarene black	Pterodroma aterrina	E	do	NA
Pheasant, bar-tailed	Syrmaticus humale	E	do	NA
Pheasant, Blyth's tragopan	Tragopan blythii	E	do	NA
Pheasant, brown eared	Crossoptilon manchuricum	E	do	NA
Pheasant, Cabot's tragopan	Tragopan caboti	E	do	NA
Pheasant, cheer	Catreus wallichii	E	do	NA
Pheasant, Chinese monal	Lophophorus cyanolophus	E	do	NA
Pheasant, Edwards'	Lophophorus edwardsi	E	do	NA
Pheasant, Elliot's	Syrmaticus ellioti	E	do	NA
Pheasant, imperial	Lophura imperialis	E	do	NA
Pheasant, Mikado	Syrmaticus mikado	E	do	NA
Pheasant, Palawan peacock	Polyplectron emphanatum	E	do	NA
Pheasant, Scalytail's monal	Lophophorus sclateri	E	do	NA
Pheasant, Swinhoe's	Lophura swinhonis	E	do	NA
Pheasant, western tragopan	Tragopan melanocephalus	E	do	NA
Pheasant, white eared	Crossoptilon crossoptilon	E	do	NA
Pigeon, Azores wood	Columba palumbus azorica	E	do	NA
Pigeon, Chatham Island	Hemiphaga novaeseelandiae chathamensis	E	do	NA
Pigeon, Mindoro imperial (=zone-tailed)	Ducula mindorensis	E	do	NA
Pigeon, pink	Columba mayeri	E	do	NA
Pigeon, Puerto Rican plain	Columba momota wetmorei	E	do	NA
Pigeon, White-tailed laurel	Columba junoniae	E	do	NA
Piping-guan, black-fronted	Pipile jacutinga	E	do	NA
Pitta, Gurney's	Pitta gurneyi	E	do	NA
Pitta, Koch's	Pitta kochi	E	do	NA
Plover, New Zealand shore	Thinornis novaeseelandiae	E	do	NA

§ 17.11

50 CFR Ch. I (10-1-08 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Plover, piping	<i>Charadrius melanodus</i>	U.S.A. (Great Lakes, northern Great Plains, Atlantic and Gulf Coasts, PR, VI) Canada, Mexico, Bahamas, West Indies.	Great Lakes, watershed in States of IL, IN, MI, MN, NY, OH, PA, and WI and Canada (Ont.).	E	211	17.95(b)	NA	
Plover, piping	<i>Charadrius melanodus</i>	U.S.A. (Great Lakes, northern Great Plains, Atlantic and Gulf Coasts, PR, VI) Canada, Mexico, Bahamas, West Indies.	Northern Great Plains in States of MN, MT, ND, NE, and SD.	T	211	17.95(b)	NA	
Do	do	do	Entire, except those areas where listed as endangered above. U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast).	T	211	NA	NA	
Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	U.S.A. (AZ, CA, CO, KS, NM, NV, OK, OR, TX, UT, WA), Mexico.	U.S.A. (CA, OR, WA)	T	493	17.95(b)	NA	
Pochard, Madagascar Poouli (honeycreeper)	<i>Aphyllon imitata</i>	Madagascar	Entire	E	571	NA	NA	
Prairie-chicken, Attwater's greater Quail, Merriam's Montezuma Quail, resplendent	<i>Melampicospus phaeosoma</i>	U.S.A. (HI)	do	E	10	NA	NA	
Rail, Aukland Island Rail, California Clapper Rail, Guam	<i>Tympanuchus cupido attwateri</i>	U.S.A. (TX)	do	E	1	NA	NA	
Do	<i>Cyrtonyx montezumae mearnsi</i>	Mexico (Vera Cruz)	do	E	15	NA	NA	
Rail, light-footed clapper	<i>Pharomachrus mocino</i>	Mexico to Panama	do	E	15	NA	NA	
Rail, Lord Howe wood Scrub-jay, Florida Shama, Cebu black (thrush) Shearwater, Newell's Townsend's Shrike, San Clemente loggerhead Siskin, red	<i>Rallus elegans</i>	New Zealand	do	E	3	NA	NA	
Rail, Lord Howe wood Scrub-jay, Florida Shama, Cebu black (thrush) Shearwater, Newell's Townsend's Shrike, San Clemente loggerhead Siskin, red	<i>Rallus longirostris lepides</i>	U.S.A. (CA)	do	E	2	NA	NA	
Rail, Lord Howe wood Scrub-jay, Florida Shama, Cebu black (thrush) Shearwater, Newell's Townsend's Shrike, San Clemente loggerhead Siskin, red	<i>Gallirallus (=Tricholimnas) syvestris</i>	Western Pacific Ocean—U.S.A. (Guam).	Entire, except Rota	E	146E, 156, 371	NA	17.84(f)	
Rail, Lord Howe wood Scrub-jay, Florida Shama, Cebu black (thrush) Shearwater, Newell's Townsend's Shrike, San Clemente loggerhead Siskin, red	<i>Rheaa</i> (=Rheaa)	U.S.A. (CA)	Rota	XN	371	NA	2	NA
Rail, Lord Howe wood Scrub-jay, Florida Shama, Cebu black (thrush) Shearwater, Newell's Townsend's Shrike, San Clemente loggerhead Siskin, red	<i>Petrelous traversi</i>	U.S.A. only	U.S.A. only	E	15	NA	NA	
Robin, dappled mountain Robin, scalpt-breasted (flycatcher) Rocktowl, grey-necked Roller, long-tailed ground	<i>Arctocoris ornatirostris</i>	Argentina, Bolivia, Peru, Uruguay	Entire	E	1	NA	NA	
Robin, dappled mountain Robin, scalpt-breasted (flycatcher) Rocktowl, grey-necked Roller, long-tailed ground	<i>Petroica multicolor multicolor</i>	New Zealand	do	E	3	NA	NA	
Robin, dappled mountain Robin, scalpt-breasted (flycatcher) Rocktowl, grey-necked Roller, long-tailed ground	<i>Pycnonotus oreas</i>	Mozambique, Tanzania	do	T	571	NA	NA	
Robin, dappled mountain Robin, scalpt-breasted (flycatcher) Rocktowl, grey-necked Roller, long-tailed ground	<i>Pycnonotus gymnocephalus</i>	Australia (Norfolk Island)	do	E	3	NA	NA	
Robin, dappled mountain Robin, scalpt-breasted (flycatcher) Rocktowl, grey-necked Roller, long-tailed ground	<i>Uratelomis chimaera</i>	Cameroon, Gabon	do	E	3	NA	NA	
Scrub-bird, noisy	<i>Atrichornis clamosus</i>	Africa—Togo to Sierra Leone	do	E	3	NA	NA	
Scrub-bird, noisy	<i>Aphelocephala coerulescens</i>	Malagasy Republic (=Madagascar); Australia	do	E	267	NA	NA	
Scrub-bird, noisy	<i>Copsychus nigerrimus</i>	Philippines	do	E	3	NA	NA	
Shama, Cebu black (thrush) Shearwater, Newell's Townsend's Shrike, San Clemente loggerhead Siskin, red	<i>Puffinus auricularis newelli</i>	U.S.A. (HI)	do	T	10	NA	NA	
Shama, Cebu black (thrush) Shearwater, Newell's Townsend's Shrike, San Clemente loggerhead Siskin, red	<i>Lanius ludovicianus mearnsi</i>	U.S.A. (CA)	do	E	26	NA	NA	
Shama, Cebu black (thrush) Shearwater, Newell's Townsend's Shrike, San Clemente loggerhead Siskin, red	<i>Carduelis cucullata</i>	South America	do	E	15	NA	NA	
Shama, Cebu black (thrush) Shearwater, Newell's Townsend's Shrike, San Clemente loggerhead Siskin, red	<i>Ammodramus manatus mirabilis</i>	U.S.A. (FL)	do	E	1	NA	NA	
Shama, Cebu black (thrush) Shearwater, Newell's Townsend's Shrike, San Clemente loggerhead Siskin, red	<i>Ammodramus savannarum floridanus</i>	U.S.A. (FL)	do	E	239	NA	NA	
Sparrow, San Clemente sage	<i>Amphispiza belli clementae</i>	U.S.A. (CA)	do	T	26	NA	NA	

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Sparrowhawk, Anjouan Island Starling, Punaape mountain	<i>Accipiter francessii pusillus</i>	Indian Ocean—Comoro Islands	do	do	NA
Starling, Rothschild's (myna)	<i>Aplonis pelezelni</i>	West Pacific Ocean—Federated States of Micronesia	do	do	NA
Stilt, black	<i>Leucophaeus rothschildii</i>	Indonesia (Bali)	do	do	NA
Stilt, Hawaiian	<i>Himantopus novaezelandiae</i>	New Zealand	do	do	NA
Stilt, U.S.A. (H)	<i>Himantopus mexicanus</i>	U.S.A. (H)	do	do	NA
Stork, oriental white	(= <i>Himantopus</i>) <i>knudseni</i> . <i>Ciconia boyciana</i> (= <i>Ciconia b.</i>)	China, Japan, Korea, Russia	do	U.S.A. (AL, FL, GA, SC)	NA
Stork, wood	<i>Mycetaria americana</i>	U.S.A. (CA, AZ, TX, to Carolinas), Mexico, C. and S. America.	U.S.A. (AL, FL, GA, SC)	do	NA
Sunbird, Matungu	<i>Nectarinia prigoginei</i>	Zaire	Entire	do	NA
Swiftlet, Mariana gray	<i>Aerodramus vanikorensis</i> barttschi.	Western Pacific Ocean—U.S.A. (Guam, Rota, Tinian, Saipan, Agigian).	Entire	do	NA
Teal, Campbell Island flightless	<i>Anas aucklandica nesiotis</i>	New Zealand (Campbell Island)	do	do	NA
Tem, California least	<i>Sterna antillarum browni</i>	Mexico, U.S.A. (CA)	U.S.A. (AR, CO, IA, IL, IN, KS, KY, LA—Miss. R. and trib., N. of Baton Rouge, MS—Miss. R., MO, MT, ND, NE, NM, OK, SD, TN, TX)—except within 50 miles of coast.	U.S.A. (AR, CO, IA, IL, IN, KS, KY, LA—Miss. R. and trib., N. of Baton Rouge, MS—Miss. R., MO, MT, ND, NE, NM, OK, SD, TN, TX)—except within 50 miles of coast.	NA
Tem, least	<i>Sterna antillarum</i>	U.S.A. (Atlantic and Gulf coasts, Miss. R., Basin, CA), Greater and Lesser Antilles, Bahamas, Mexico; winters Central America, northern South America.	U.S.A. (AR, CO, IA, IL, IN, KS, KY, LA—Miss. R. and trib., N. of Baton Rouge, MS—Miss. R., MO, MT, ND, NE, NM, OK, SD, TN, TX)—except within 50 miles of coast.	U.S.A. (AR, CO, IA, IL, IN, KS, KY, LA—Miss. R. and trib., N. of Baton Rouge, MS—Miss. R., MO, MT, ND, NE, NM, OK, SD, TN, TX)—except within 50 miles of coast.	NA
Tem, roseate	<i>Sterna dougallii dougallii</i>	Tropical and temperate coasts of Atlantic Basin and East Africa.	do	do	NA
Do	do	do	do	do	NA
Thicketbird long-legged	<i>Trichocichla rufa</i>	Fiji	West Indies—St. Lucia, Martinique.	Entire	NA
Thrasher, white-breasted	<i>Ramphocinclus brachyurus</i>	U.S.A. (H)	do	do	NA
Thrush, large Kauai	<i>Myadestes myadestinus</i>	U.S.A. (H)	do	do	NA
Thrush, Molokai	<i>Myadestes lanaiensis rufa</i>	Turnera capensis	do	do	NA
Thrush, New Zealand (wattlebird)	<i>Myadestes palmeri</i>	U.S.A. (H)	do	do	NA
Thrush, small Kauai	<i>Turdus olivaceous helleri</i>	New Zealand	U.S.A. (H)	do	NA
Thrush, Taita	<i>Turdus solitarius</i>	Kenya	U.S.A. (CA)	do	NA
Tinamou, solitary	<i>Tinamus solitarius</i>	Brazil, Paraguay, Argentina	U.S.A. (CA)	do	NA
Towhee, Iwo California	<i>Pipilo crissalis eremicophilus</i>	West Indies—Martinique	West Indies—Martinique	do	NA
Trembler, Martinique (thrasher)	<i>Cinclocerthia ustulata gutturalis</i>	do	do	do	NA
Turaco, Bannerman's	<i>Tauraco bannermani</i>	Cameron	do	do	NA
Turtle-dove, Seychelles	<i>Streptopelia picturata rostrata</i>	Indian Ocean—Seychelles	do	do	NA
Vanga, Polen's	<i>Xenopirostris poleni</i>	Madagascar	do	do	NA
Vanga, Van Dam's	<i>Xenopirostris damii</i>	U.S.A. (KS, LA, NE, OK, TX), Mexico.	do	do	NA
Vireo, black-capped	<i>Vireo atricapillus</i>	U.S.A. (CA), Mexico	do	do	NA
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	Australia	do	do	NA
Wanderer, plain (colared-hempode),	<i>Pedionomus torquatus</i>				17.95(b)
			E	E	6

§ 17.11

50 CFR Ch. I (10-1-08 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Warbler, Aldabra (old world warbler).	<i>Nesillas aldabranus</i>	Indian Ocean—Seychelles (Aldabra Island).	do	E	571	NA	NA
Warbler (wood), Bachman's	<i>Vermivora bachmani</i>	U.S.A. (Southeastern), Cuba	do	E	1, 3	NA	NA
Warbler (wood), Barbados yellow ..	<i>Dendroica petechia petechia</i>	West Indies—Barbados	do	E	3	NA	NA
Warbler (wood), golden-cheeked ..	<i>Dendroica chrysoparia</i>	Honduras, Mexico, Guatemala, Honduras, Nicaragua, Belize, U.S.A. (principally MI), Canada, West Indies—Bahama Islands.	do	E	387E, 411	NA	NA
Warbler (wood), Kirtland's	<i>Dendroica kirtanii</i>	West Pacific Ocean—U.S.A. (Guam, Alamagan, Saipan). Mauritius (Rodrigues Islands)	do	E	1, 3	NA	NA
Warbler, nightingale reed, (old world warbler).	<i>Acrocephalus luscina</i>	West Indies—St. Lucia	do	E	3, 4	NA	NA
Warbler, Rodriguez (old world warbler).	<i>Bebrornis rodanicus</i>	Indian Ocean—Seychelles Island	do	E	3	NA	NA
Warbler (wood), Semper's	<i>Leucopiza sepperi</i>	Cameroon	do	E	3	NA	NA
Warbler, Seychelles (old world warbler).	<i>Bebrornis sechellensis</i>	Australia	do	E	571	NA	NA
Wattle-eye, banded	<i>Platysteira laticeincta</i>	Western Pacific Ocean—U.S.A. (Cuan).	do	E	3	NA	NA
Weaver, Clarke's	<i>Placocercus golandi</i>	Indian Ocean—Norfolk Islands	do	E	156	NA	NA
Whipbird, western	<i>Psophodes nigrogularis</i>	States of Michigan.	do	E	15	NA	NA
White-eye, bridled	<i>Zosterops conspicillatus</i>	Western Pacific Ocean—U.S.A. (Commonwealth of the Northern Mariana Islands).	do	E	3	NA	NA
White-eye, Norfolk Island	<i>Zosterops abbotti</i>	Indian Ocean—Seychelles	do	E	741	17.95(b)	NA
White-eye, Ponape greater	<i>Rukia longirostra</i>	Mexico	do	E	3	NA	NA
White-eye, Rota bridled	<i>Zosterops rotensis</i>	U.S.A. (southcentral and southeastern), Cuba.	do	E	2	NA	NA
White-eye, Seychelles	<i>Zosterops modesta</i>	Korea	do	E	3	NA	NA
Woodpecker, imperial	<i>Campetherus imperialis</i>	West Indies—Guadeloupe	do	E	3	NA	NA
Woodpecker, Ivory-billed	<i>Campetherus principalis</i>	West Indies—St. Lucia	do	E	3	NA	NA
Woodpecker, red-cockaded	<i>Picoides borealis</i>	Southeastern U.S.A.	do	T(S/A)	1, 11, 20, 51, 60, 113, 134	NA	17.42(a)
Woodpecker, Tristan's	<i>Dryocopus javensis richardsi</i>	do	E	186, 269	NA	NA
Wren, Guadeloupe house	<i>Troglodytes aedon guadeloupensis</i>	do	E	25	17.95(c)	NA
Wren, St. Lucia house	<i>Troglodytes aedon mesoleucus</i>	do	E	3	NA	NA
Alligator, American	<i>Alligator mississippiensis</i>	do	T	33	17.95(c)	NA
Alligator, Chinese	<i>Alligator sinensis</i>	China	do	E	15	NA	NA
Anole, Cuban island giant	<i>Anolis roseovelli</i>	U.S.A. (PR—Culebra Island)	do	E	25	NA	NA
Boa, Jamaican	<i>Epicrates subflavus</i>	Jamaica	do	E	3	NA	NA
Boa, Mona	<i>Epicrates monensis monensis</i>	U.S.A. (PR)	do	T	33	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

<i>Boa</i> , Puerto Rican	Boa, Round Island [unnamed]	E	2
Boa	Boa, Virgin Islands tree	E	88
	Caiman Apaporis River	E	88
	Caiman, black	E	2, 86
	Caiman, broad-snouted	E	15
	Caiman, brown	E	15
	Caiman, common	E	15
	Caiman, yacare	E	15
	Chuchwalla, San Esteban Island	E	15
	Crocodile, African dwarf	E	15
	Crocodile, African slender-snouted	E	5
	Crocodile, American	E	87
	Do	E	87
	Crocodile, American	T	3, 695
	Crocodile, Ceylon mugger	E	88
	Crocodile, Congo dwarf	E	88
	Crocodile, Cuban	E	15A
	Crocodile, Morelet's	E	5
	Crocodile, mugger	E	3
	Crocodile, Nile	E	3
	Crocodile, Orinoco	E	3
	Crocodile, Philippine	E	15
	Crocodile, saltwater	E	15
	Do	E	87, 585
	Crocodile, Siamese	E	15
	Gavial	E	3
	Gecko, day	E	125
	Gecko, Monito	E	3
	Gecko, Round Island day	E	129
	Serpent Island	T	129
	Iguana, Acklin's ground	T	129
	Iguana, Allen's Cay	T	129
	West Indies—Bahamas	T	129
	do	T	17.42(c)
	<i>Epicrates inornatus</i>	E	17.42(g)
	<i>Bolyeria multicarinata</i>	E	17.42(g)
	<i>Casarea dussumieri</i>	E	17.42(g)
	<i>Epicrates monensis granti</i>	E	17.42(g)
	<i>Caiman crocodilus apaporiensis</i>	E	17.42(g)
	<i>Melanostomus nigres</i>	E	17.42(g)
	<i>Caiman latirostris</i>	E	17.42(g)
	<i>Caiman crocodilus fuscus</i> (includes <i>Caiman crocodilus chianensis</i>)	E	17.42(g)
	<i>Caiman crocodilus crocodilus</i>	E	17.42(g)
	<i>Indian Ocean—Mauritius</i>	E	17.42(g)
	<i>do</i>	E	17.42(g)
	<i>U.S.A. (PR), British Virgin Islands</i>	E	17.42(g)
	<i>Colombia</i>	E	17.42(g)
	<i>Amazon basin</i>	E	17.42(g)
	<i>Brazil, Argentina, Paraguay, Uruguay</i>	E	17.42(g)
	<i>Mexico, Central America, Colombia, Ecuador, Venezuela, Peru</i>	E	17.42(g)
	<i>Brazil, Colombia, Ecuador, French Guiana, Guyana, Suriname, Venezuela, Bolivia, Peru</i>	E	17.42(g)
	<i>Argentina, Bolivia, Brazil, Paraguay, Mexico</i>	E	17.42(g)
	<i>West Africa</i>	E	17.42(g)
	<i>Western and Central Africa</i>	E	17.42(g)
	<i>U.S.A. (FL), Mexico, Caribbean, Central and South America.</i>	E	17.42(g)
	<i>do</i>	E	17.42(g)
	<i>U.S.A. (FL)</i>	E	17.42(g)
	<i>Entire</i>	E	17.42(g)
	<i>U.S.A. (FL)</i>	E	17.42(g)
	<i>Entire</i>	E	17.42(g)
	<i>Osteolaemus vittatus</i>	E	17.42(g)
	<i>Osteolaemus tetraspis tetraspis</i>	E	17.42(g)
	<i>Crocodylus cataphractus</i>	E	17.42(g)
	<i>Crocodylus acutus</i>	E	17.42(g)
	<i>do</i>	E	17.42(g)
	<i>Crocodylus acutus</i>	E	17.42(g)
	<i>Crocodylus palustris kimbula</i>	E	17.42(g)
	<i>Osteolaemus tetraspis ostromi</i>	E	17.42(g)
	<i>Crocodylus rhombifer</i>	E	17.42(g)
	<i>Crocodylus moreletii</i>	E	17.42(g)
	<i>Crocodylus palustris palustris</i>	E	17.42(g)
	<i>Crocodylus niloticus</i>	E	17.42(g)
	<i>Crocodylus intermedius</i>	E	17.42(g)
	<i>Crocodylus novaeguineae mindorensis</i>	E	17.42(g)
	<i>Crocodylus porosus</i>	E	17.42(g)
	<i>do</i>	E	17.42(g)
	<i>Crocodylus siamensis</i>	E	17.42(g)
	<i>Gavialis gangeticus</i>	E	17.42(g)
	<i>Phelsuma edwardnewtoni</i>	E	17.42(g)
	<i>Sphaerodactylus microlepturus</i>	E	17.42(g)
	<i>Phelsuma guentheri</i>	E	17.42(g)
	<i>Cyrtodactylus serpensinsula</i>	E	17.42(g)
	<i>Cyclura rickeyi ritchiei</i>	E	17.42(g)
	<i>Cyclura cyclura inornata</i>	E	17.42(g)

§ 17.11

50 CFR Ch. I (10-1-08 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Iguana, Andros Island ground	<i>Cyclura cychlura cychlura</i>	do	do	T	129	NA	NA
Iguana, Anegada ground	<i>Cyclura pinguis</i>	West Indies—British Virgin Islands (Anegada Island), Ecuador (Galapagos Islands)	do	E	3	NA	NA
Iguana, Barrington land	<i>Conolophus pallidus</i>	West Indies—Cayman Islands	do	E	3	NA	NA
Iguana, Cayman Brac ground	<i>Cyclura nubila caymanensis</i>	Cuba	do	T	129	NA	NA
Iguana, Cuban ground	<i>Cyclura nubila nubila</i>	West Indies—Bahamas	do	T	129	NA	NA
Iguana, Exuma Island	<i>Cyclura cychlura figginsi</i>	Pacific—Fiji, Tonga	do	T	129	NA	NA
Iguana, Fiji banded	<i>Brachylophus fasciatus</i>	Pacific—Fiji	do	E	88	NA	NA
Iguana, Fiji crested	<i>Brachylophus vitiensis</i>	West Indies—Cayman Islands	do	E	88	NA	NA
Iguana, Grand Cayman ground	<i>Cyclura nubila lewisi</i>	West Indies—Jamaica	do	E	129	NA	NA
Iguana, Jamaican	<i>Cyclura collei</i>	West Indies—Bahamas	do	T	129	NA	NA
Iguana, Mayaguana	<i>Cyclura carinata bartelsi</i>	U.S.A. (PR—Mona Island)	do	T	33	NA	NA
Iguana, Mona ground	<i>Cyclura stejnegeri</i>	West Indies—Turks and Caicos Islands	do	T	129	NA	NA
Iguana, Turks and Caicos	<i>Cyclura carinata carinata</i>	West Indies—Bahamas	do	E	129	NA	NA
Iguana, Watling Island ground	<i>Cyclura rileyi rileyi</i>	do	do	T	129	NA	NA
Iguana, White Cay ground	<i>Cyclura rileyi cristata</i>	do	do	E	129	NA	NA
Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	U.S.A. (CA)	do	E	1	NA	NA
Lizard, Cochella Valley fringed-toed	<i>Uma inornata</i>	do	do	T	105	17.95(c)	NA
Lizard, Hierro giant	<i>Gallotia simonyi simonyi</i>	Spain (Canary Islands)	do	E	144	NA	NA
Lizard, Ibiza wall	<i>Podarcis pityusensis</i>	Spain (Balearic Islands)	do	T	144	NA	NA
Lizard, Island night	<i>Xantusia riversiana</i>	U.S.A. (CA)	do	T	26	NA	NA
Lizard, Maria Island ground	<i>Chenodophorus vanzoi</i>	West Indies—St. Lucia (Maria Islands)	do	E	443	NA	NA
Lizard, St. Croix ground	<i>Ameiva polops</i>	U.S.A. (VI)	do	E	24	17.95(c)	NA
Monitor, desert	<i>Varanus greevesi</i>	North Africa to Aral Sea, through Central Asia to Pakistan, Northwest India.	do	E	15	NA	NA
Monitor, Indian (=Bengal)	<i>Varanus bengalensis</i>	Iran, Iraq, India, Sri Lanka, Malaysia, Afghanistan, Burma, Vietnam, Thailand	do	E	15	NA	NA
Monitor, Komodo Island	<i>Varanus komodoensis</i>	Indonesia (Komodo, Rinca, Padar, and western Flores Islands)	do	E	15	NA	NA
Monitor, yellow	<i>Varanus flavescens</i>	West Pakistan through India to Bangladesh	do	E	15	NA	NA
Python, Indian	<i>Python molurus molurus</i>	Sri Lanka and India	do	E	15	NA	NA
Rattlesnake, Aruba Island	<i>Crotalus unicolor</i>	Aruba Island (Netherlands Antilles)	do	T	129	NA	NA
Rattlesnake, New Mexican ridged-nosed	<i>Crotalus willardi obscurus</i>	U.S.A. (AZ, NM), Mexico	do	T	43	17.95(c)	NA
Sea turtle, green	<i>Chelonia mydas</i>	Circumglobal in tropical and temperate seas and oceans.	Breeding colony populations in FL and on Pacific coast of Mexico.	E	42	NA	224.104

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Do	do	do	Wherever found except where listed as endangered.	
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Tropical seas	Entire	T 42 226.208 17.42(b), 223.205, 223.206, 223.207, 224.104
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Tropical and temperate seas in Atlantic Basin, incl. Gulf of Mexico.	do	E 3 17.95(c), 226.209 NA 224.104
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Tropical, temperate, and subpolar seas.	do	E 4 224.104
Sea turtle, loggerhead	<i>Caretta caretta</i>	Circumglobal in tropical and temperate seas and oceans.	do	E 3 17.95(c), 226.207 NA 224.104
Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Circumglobal in tropical and temperate seas.	Wherever found except where listed as endangered below.	T 42 NA 17.42(b), 223.205, 223.206, 223.207
Do	do	do	Breeding colony populations on Pacific coast of Mexico.	E 42 NA 17.42(d), 223.207, 224.104
Skink, bluetail mole	<i>Eumeles egregius lividus</i>	U.S.A. (FL)	Entire	T 299 NA 17.42(d)
Skink, Round Island	<i>Leiocephalus leucocephalus</i>	Indian Ocean—Mauritius	do	T 129 NA 17.42(d)
Skink, sand	<i>Neoseps raymondi</i>	U.S.A. (FL)	do	T 299 NA 17.42(d)
Snake, Atlantic salt marsh	<i>Nerodia clarkii taeniata</i>	do	do	T 30 NA
Snake, Concho water	<i>Nerodia paucimaculata</i>	U.S.A. (TX)	do	T 241 NA
Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	U.S.A. (IL, IN, KY, MI, OH)	IN north of 40° N. Lat., MI, OH	T 607 NA
Snake, eastern indigo	<i>Dynaphis corais couperi</i>	U.S.A. (AL, FL, GA, MS, SC)	Entire	T 32 NA
Snake, giant garter	<i>Thamnophis gigas</i>	U.S.A. (CA)	do	T 522 NA
Snake, Lake Erie water	<i>Nerodia sipedon insularum</i>	U.S.A. (OH), Canada (Ont.)	Lake Erie offshore islands and their adjacent waters (located more than 1 mile from mainland)—U.S.A. (OH), Canada (Ont.).	T 665 NA
Snake, Maria Island	<i>Lioptis ornatus</i>	West Indies—St. Lucia (Maria Islands).	Entire	E 443 NA
Snake, San Francisco garter	<i>Thamnophis sirtalis tigrina</i>	U.S.A. (CA)	do	E 1 NA
Tartaruga	<i>Podocnemis expansa</i>	South America—Orinoco R. and Amazon R. basins.	do	E 3 NA
Terrapin, river	<i>Balagur baska</i>	Malaysia, Bangladesh, Burma, India, Indonesia.	do	E 3 NA
Tomistoma	<i>Tomistoma schlegelii</i>	Malaysia, Indonesia	do	E 15 NA
Tortoise, angulated	<i>Geochelone yniphora</i>	Madagascar Republic (=Madagascar). Mexico	do	E 15 NA
Tortoise, Bolson	<i>Gopherus flavomarginatus</i>	U.S.A. (AZ, CA, NV, UT), Mexico	Entire, except AZ south and east of Colorado R., and Mexico.	E 46 NA
Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A. (AZ, CA, NV, UT)	T 103, 357(E, 378	NA

§ 17.11

50 CFR Ch. I (10-1-08 Edition)

Common name	Species	Historic Range	Vertebrate population where endangered or threatened	Status	Critical habitat	When listed	Special rules
Common name	Scientific name						
Dododo	AZ south and east of Colorado R., and Mexico, when found outside of Mexico or said range in AZ.	T(S/A)	378	NA	17.42(e)
Tortoise, Galapagos	<i>Geochelone nigra</i> (=elaphantopus), <i>Gopherus polyphemus</i>	Ecuador (Galapagos Islands)	Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA.	E	3	NA	NA
Tortoise, gopher	<i>Geochelone radiata</i>	U.S.A. (AL, FL, GA, LA, MS, SC)	Entire	E	3	NA	NA
Tortoise, Madagascar radiated	<i>Podocnemis unifilis</i>	Malagasy Republic (=Madagascar), South America—Orinoco R. and Amazon R. basins.	Entire	E	3	NA	NA
Tracajá	<i>Sphenodon punctatus</i>	New Zealand	do	E	3, 630	NA	NA
Tuatara	<i>Sphenodon guntheri</i>	New Zealand (N. Brother's Island).	do	E	3, 630	NA	NA
Tuatara, Brother's Island	<i>Pseudemys alabamensis</i>	U.S.A. (AL)	do	E	278	NA	NA
Turtle, Alabama redbelly	<i>Terrapene coahuila</i>	Mexico	do	E	6	NA	NA
Turtle, aquatic box	<i>Thierryx nigricans</i>	Bangladesh	do	E	15	NA	NA
Turtle, black softshell	<i>Clemmys muhlenbergii</i>	U.S.A. (CT, DE, GA, MA, MD, NC, NJ, NY, PA, SC, TN, VA).	Entire, except GA, NC, SC, TN, VA.	T	626	NA	NA
Turtle, bog (Mühlenberg)	Dodo	U.S.A. (GA, NC, SC, TN, VA)	T(S/A)	626	NA	17.42(f)
Turtle, Brazilian side-neck	<i>Phrynops hogei</i>	Brazil	Entire	E	443	NA	NA
Turtle, Burmese peacock	<i>Morenia ocellata</i>	West Indies—Jamaica, Bahamas	do	E	15	NA	NA
Turtle, Cat Island	<i>Trachemys terrapen</i>	Mexico, Belize, Guatemala	Entire	E	443	NA	NA
Turtle, Central American river	<i>Dematemys mawii</i>	Mexico	do	E	129	NA	NA
Turtle, Cuiáro Cienegas softshell	<i>Trionyx ater</i>	U.S.A. (AL)	Black Warrior R. system upstream from Bankhead Dam.	T	15	NA	NA
Turtle, flattened musk	<i>Sternotherus depressus</i>	South Africa	Entire	E	272	NA	NA
Turtle, geometric	<i>Psammobates geometricus</i>	West Indies—Bahamas (Great Inagua Island).	do	E	15	NA	NA
Turtle, Inagua Island	<i>Trachemys stejnegeri malonei</i>	India	do	E	443	NA	NA
Turtle, Indian sawback	<i>Kachuga tecta tecta</i>	Pakistan, India	do	E	15	NA	NA
Turtle, Indian softshell	<i>Trionyx gangeticus</i>	India, Bangladesh	do	E	15	NA	NA
Turtle, peacock softshell	<i>Trionyx hurum</i>	U.S.A. (MA)	do	E	90	NA	NA
Turtle, Plymouth redbelly	<i>Pseudemys rubriventris bangsi</i>	U.S.A. (LA, MS)	do	T	250	NA	NA
Turtle, ringed map	<i>Gratemys oculifera</i>	Australia	do	E	3	NA	NA
Turtle, short-necked or western swamp.	<i>Pseudemys nelsoni umbribra</i>	Colombia, Venezuela	do	E	443	NA	NA
Turtle, South American red-lined	<i>Trachemys scripta callirostris</i>	North India, Pakistan	do	E	15	NA	NA
Turtle, spotted pond	<i>Geoclemys hamiltonii</i>	Central India to Bangladesh and Burma	do	E	15	NA	NA
Turtle, three-keeled Asian	<i>Melanochelys tricarinata</i>	U.S.A. (MS)	do	T	416	NA	NA
Turtle, yellow-blotched map	<i>Gratemys flavimaculata</i>	Iran	do	E	129	NA	NA
Viper, Lar Valley	<i>Vipera latifi</i>						

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Whipsnake, Alameda (=striped racer).	AMPHIBIANS	<i>Masticophis lateralis euryxanthus</i>	U.S.A. (CA)	do	do	17.95(c)	NA
Coqui, golden		<i>Elaeutherodactylus lasperii</i>	U.S.A. (PR)	do	do	17.95(d)	NA
Frog, California red-legged		<i>Rana aurora draytonii</i>	U.S.A. (CA), Mexico	do	do	17.95(d)	NA
Frog, Chiricahua leopard		<i>Rana chiricahuensis</i>	U.S.A. (AZ, NM)	do	do	17.95(d)	§ 17.43(b)
Frog, Goliath		<i>Conraua goliath</i>	Cameroun, Equatorial Guinea, Gabon.	do	do	NA	NA
Frog, Israel painted		<i>Discoglossus nigriventer</i>	Israel	do	Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA.	3	NA
Frog, Mississippi gopher		<i>Rana capito sevosa</i>	U.S.A. (AL, FL, LA, MS)	do	do	718	NA
Frog, mountain yellow-legged (southern California DPS).		<i>Rana muscosa</i>	U.S.A. (California, Nevada)	do	do	728	NA
Frog, Panamanian golden		<i>Atelopus varius zeteki</i>	Panama	Entire	Entire	15	NA
Frog, Stephen Island		<i>Leiopelma hamiltoni</i>	New Zealand	do	do	3	NA
Guajin		<i>Elaeutherodactylus cooki</i>	U.S.A. (PR)	do	do	617	NA
Salamander, Barton Springs		<i>Eurycea sosorum</i>	U.S.A. (TX)	do	do	612	NA
Salamander, California tiger		<i>Ambystoma californiense</i>	U.S.A. (CA)	do	do	667E	17.43(c)
Salamander, Cheat Mountain		<i>Platnodon nettingi</i>	U.S.A. (WV)	Entire	Entire	702, 744	NA
Salamander, Chinese giant		<i>Andrias davidianus</i> (= <i>davidianus d.</i>)	Western China	do	do	358	NA
Salamander, desert slender		<i>Batrachoseps aridus</i>	U.S.A. (CA)	do	do	15	NA
Salamander, flatwoods		<i>Ambystoma cingulatum</i>	U.S.A. (AL, FL, GA, SC)	do	do	6	NA
Salamander, Japanese giant		<i>Andrias japonicus</i> (= <i>davidianus J.J.</i>)	Japan	do	do	658	NA
Salamander, Red Hills		<i>Phaeognathus hubrichti</i>	U.S.A. (AL)	do	do	15	NA
Salamander, San Marcos		<i>Eurycea nana</i>	U.S.A. (TX)	do	do	98	NA
Salamander, Santa Cruz long-toed		<i>Ambystoma macrolectylum</i>	U.S.A. (CA)	do	do	1	NA
Salamander, Shenandoah		<i>Platnodon shenandoah</i>	U.S.A. (VA)	do	do	358	NA
Salamander, Sonoran tiger		<i>Ambystoma stebbinsi</i>	U.S.A. (AZ)	do	do	600	NA
Salamander, Texas blind		<i>Typhlonotris rathbuni</i>	U.S.A. (TX)	do	do	1	NA
Toad, arroyo (=arroyo southwestern).		<i>Bufo californicus</i>	U.S.A. (CA), Mexico,	do	do	568	17.95(d)
Toad, Cameroon		<i>Bufo superciliaris</i>	Equatorial Africa	do	do	15	NA
Toad, Houston		<i>Bufo houstonianus</i>	U.S.A. (TX)	do	do	2	17.95(d)
Toad, Monte Verde golden		<i>Bufo periglenes</i>	Costa Rica	do	do	15	NA
Toad, Puerto Rican crested		<i>Peltophryne lemur</i>	U.S.A. (PR), British Virgin Islands	do	do	283	NA
Toad, Wyoming		<i>Bufo hemiophrys Baxteri</i>	U.S.A. (WY)	do	do	138	NA
Toads, African viviparous		<i>Nectophrynoides</i> spp.	Tanzania, Guinea, Ivory Coast, Cameroon, Liberia, Ethiopia.	do	do	15	NA
FISHES							
Ala Balik (trout)		<i>Salmo platycephalus</i>	Turkey	do	do	3	NA
Ayunodokki (loach)		<i>Hymenopteryxa curta</i>	Japan	do	do	3	NA
Blindcat, Mexican (catfish)		<i>Priacanthus philatophilus</i>	Mexico	do	do	3	NA
Bonytongue, Asian		<i>Soleopagrus formosus</i>	Thailand, Indonesia, Malaysia	do	do	15	NA
Catfish		<i>Pangasius sanitwongsei</i>	Thailand	do	do	3	NA
Catfish, Thailand giant		<i>Pangasianodon gigas</i>	Thailand giant	do	do	3	NA

§ 17.11

50 CFR Ch. I (10-1-08 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Catfish, Yaqui	<i>Ictalurus praei</i>	U.S.A. (AZ), Mexico	do	do	T	157 28	17.95(e) 17.44(h)	NA
Cavefish, Alabama	<i>Speoplatyphorus pousoni</i>	U.S.A. (AL)	do	do	E	328	17.95(e)	NA
Amblyopsis rosea	<i>Amblyopsis rosea</i>	U.S.A. (AR, MO, OK)	do	do	E	164	NA	NA
Gila elegans	<i>Gila elegans</i>	U.S.A. (AZ, CA, CO, NV, UT, WY)	do	do	E	92	17.95(e)	NA
Gila boraxobius	<i>Gila boraxobius</i>	U.S.A. (OR)	do	do	E	94E	17.95(e)	NA
Gila nigrescens	<i>Gila nigrescens</i>	U.S.A. (NM), Mexico (Chihuahua)	do	do	T	124	NA	17.44(g)
Gila intermedia	<i>Gila intermedia</i>	U.S.A. (AZ, NM), Mexico	do	do	E	132	NA	NA
Gila cyprinoides	<i>Gila cyprinoides</i>	U.S.A. (AZ, CO, UT, WY)	do	do	E	755	17.95(e)	NA
Gila bicolor ssp.	<i>Gila bicolor</i> ssp.	U.S.A. (OR)	do	do	E	1	17.95(e)	NA
Gila bicolor mojavensis	<i>Gila bicolor mojavensis</i>	U.S.A. (CA)	do	do	E	174	NA	17.44(j)
Oreoglanichthys crameri	<i>Oreoglanichthys crameri</i>	U.S.A. (OR)	do	do	E	2	NA	NA
Gila bicolor shrevei	<i>Gila bicolor shrevei</i>	U.S.A. (CA)	do	do	E	520	NA	NA
Gila robusta jordani	<i>Gila robusta jordani</i>	U.S.A. (NV)	do	do	E	195	17.95(e)	NA
Erimystax cahni	<i>Erimystax cahni</i>	U.S.A. (TN, VA)	do	do	E	2	NA	NA
Chub, slender		do	do	do	E	28	17.95(e)	17.44(c)
Do		do	do	do	XN	do	NA	17.84(sr)
Chub, Sonora	<i>Gila ditaenia</i>	U.S.A. (AZ), Mexico	do	do	do	do	do	do
Chub, spottin (=turquoise shiner)	<i>Erimyzon monachus</i>	U.S.A. (AL, GA, NC, TN, VA)	do	do	do	do	do	do
Do		do	do	do	do	do	do	do
Do		do	do	do	do	do	do	do
Do		do	do	do	do	do	do	do
Chub, Virgin River	<i>Gila robusta seminudata</i>	U.S.A. (AZ, NV, UT)	do	do	do	do	do	do
Chub, Yaqui	<i>Gila purpurea</i>	U.S.A. (AZ)	do	do	do	do	do	do
Cicek (minnow)	<i>Acanthorhithys handtachi</i>	Turkey	do	do	do	do	do	do
Cutui	<i>Chasmistes cujus</i>	U.S.A. (NV)	do	do	do	do	do	do
Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>	do	do	do	do	do	do	do
Dace, blackside	<i>Phoxinus cumberlandensis</i>	do	do	do	do	do	do	do
Dace, Clover Valley speckled	<i>Rhinichthys osculus oligoporus</i>	U.S.A. (KY, TN)	do	do	do	do	do	do
Dace, desert	<i>Eremichthys acros</i>	U.S.A. (NV)	do	do	do	do	do	do
Dace, Fossett speckled	<i>Rhinichthys osculus</i> spp.	U.S.A. (OR)	do	do	do	do	do	do
Dace, Independence Valley speckled	<i>Rhinichthys osculus lethophorus</i>	U.S.A. (NV)	do	do	do	do	do	do

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>	U.S.A. (WY)	do	2	NA
Dace, Mapa	<i>Moapa conifera</i>	U.S.A. (NV)	do	1	NA
Darter, amber	<i>Percina anterisella</i>	U.S.A. (AL, GA, TN)	do	196	17.95(e)
Darter, bayou	<i>Etheostoma rubrum</i>	U.S.A. (MS)	do	10	NA
Darter, bluemask	<i>Etheostoma sp.</i>	U.S.A. (TN)	do	525	17.44(b)
Darter, boulder	<i>Etheostoma wapiti</i>	U.S.A. (AL, TN)	do	322	NA
Do	do	do	do	747	NA
Darter, Cherokee					17.84(o)
Darter, duskytail					
Do					
Darter, Etowah	<i>Etheostoma scotti</i>	U.S.A. (GA)	Entire, except where listed as an experimental population, U.S.A. (TN)—specified portions of the Tellico River; see 17.84(p)(1)(i).	T	NA
Darter, goldline	<i>Etheostoma percnurum</i>	U.S.A. (TN, VA)	Entire, except where listed as an experimental population, U.S.A. (TN)—specified portions of the French Broad and Holston Rivers; see 17.84(q)(1)(ii).	E	569
Darter, leopard	do	do	Entire	E	502
Darter, Maryland	do	do	do	XN	NA
Darter, Niangua	do	do	do	732	17.84(q)
Darter, Okatosa	do	do	do	do	NA
Darter, relict	do	do	do	do	17.84(q)
Darter, slackwater	<i>Etheostoma etowahae</i>	U.S.A. (GA)	Entire	E	NA
Darter, snail	<i>Etheostoma tonicola</i>	U.S.A. (TX)	do	E	NA
Darter, vermilion	<i>Percina aurolinata</i>	U.S.A. (AL, GA, TN)	do	E	2
Darter, waterress	<i>Percina pantherina</i>	U.S.A. (AR)	do	E	17.95(e)
Gambusia, Big Bend	<i>Etheostoma sellare</i>	U.S.A. (MD)	do	T	NA
Gambusia, Clear Creek	<i>Etheostoma niangiae</i>	U.S.A. (MO)	do	T	NA
Gambusia, Clear Creek	<i>Etheostoma okaloosae</i>	U.S.A. (FL)	do	T	NA
Gambusia, Clear Creek	<i>Etheostoma chilense</i>	U.S.A. (KY)	do	T	NA
Gambusia, Pecos	<i>Etheostoma boschungi</i>	U.S.A. (AL, TN)	do	E	NA
Gambusia, San Marcos	<i>Percina tanasi</i>	U.S.A. (AL)	do	E	NA
Goby, tidewater	<i>Etheostoma chemocki</i>	do	do	E	NA
Goby, tidewater	<i>Etheostoma nuchale</i>	do	do	E	NA
Goby, tidewater	<i>Gambusia gaigei</i>	U.S.A. (TX)	do	E	NA
Goby, tidewater	<i>Gambusia heterochir</i>	do	do	E	NA
Goby, tidewater	<i>Gambusia nobilis</i>	U.S.A. (NM, TX)	do	E	NA
Goby, tidewater	<i>Gambusia georgii</i>	U.S.A. (TX)	do	E	2
Goby, tidewater	<i>Eucyprinodon newberryi</i>	U.S.A. (CA)	do	E	NA
Logperch, Conasauga	<i>Percina jenkinsi</i>	U.S.A. (GA, TN)	do	E	17.95(e)
Logperch, Roanoke	<i>Percina rex</i>	U.S.A. (VA)	do	E	NA
Madtom, Neosho	<i>Noturus plecioides</i>	U.S.A. (KS, MO, OK)	Entire, except where listed as an experimental population.	E	NA
Madtom, Neosho	<i>Noturus starnauli</i>	U.S.A. (TN)	do	E	NA
Madtom, Neosho	pygmy	do	do	E	NA

§ 17.11

50 CFR Ch. I (10-1-08 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Dodododo	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.84(t)(1)(i)).	XN	NA	17.84(t)
Madtom, Scioto Madtom, smoky	<i>Naturus trautmani</i> <i>Naturus baileyi</i>	U.S.A. (OH) U.S.A. (TN)do	Entire Entire, except where listed as an experimental population.	E E	10 163	NA 17.95(e)	NA NA
Dodododo	U.S.A. (TN—specified portions of the Tellico River; see 17.84(t)(1)(ii)).	XN	732	NA	17.84(r)
Madtom, yellowfin	<i>Naturus flavipinnis</i>	U.S.A. (TN, VA)do	Entire, except where listed as an experimental population.	T	28	17.95(e)	17.44(c)
Dodododo	U.S.A. (TN, VA—specified portions of the Holston River and watershed; see 17.84(e)(1)(i)).	XN	317	NA	17.84(e)
Dodododo	U.S.A. (TN—specified portions of the Tellico River; see 17.84(e)(1)(ii)).	XN	732	NA	17.84(e)
Dodododo	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.84(e)(1)(iii)).	XN	NA	17.84(e)
Minnow, Devil's River	<i>Dionda diabolii</i>	U.S.A. (TX) Mexicodo	Entire	T	669	17.95(e)	NA
Minnow, loach	<i>Rhinichthys cobitidis</i>	U.S.A. (AZ, NM) Mexicododo	T	247	17.95(e)	17.44(q)
Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	U.S.A. (NM, TX) Mexicododo	E	543	17.95(e)	NA
Nekogiri (catfish)	<i>Coreobagrus chikawai</i>	Japando	Entire, except Salt and Verde R. drainages, AZ.	E	3	NA	NA
Pikeminnow (=squawfish), Colorado.	<i>Ptychocheilus lucius</i>	U.S.A. (AZ, CA, CO, NM, NV, UT, WY) Mexicodo	Salt and Verde R. drainages, AZ.	XN	1,193	17.95(e)	NA
Dodododo	Entire	E	193	NA	17.84(b)
Poolfish, Pahrump	<i>Empetrichthys latos</i>	U.S.A. (NV)dodo	E	1	NA	NA
Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis</i> minneconchesdododo	E	117E, 127E 130	17.95(e)	NA
Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>	U.S.A. (TX)dodo	E	1	NA	NA
Pupfish, desert	<i>Cyprinodon macularius</i>	U.S.A. (AZ, CA) Mexicododo	E	222	17.95(e)	NA
Pupfish, Devil's Hole	<i>Cyprinodon diabolis</i>	U.S.A. (NV)dodo	E	1	NA	NA
Pupfish, Leon Springs	<i>Cyprinodon bovinus</i>	U.S.A. (TX)dodo	E	102	17.95(e)	NA
Pupfish, Owens	<i>Cyprinodon radiosus</i>	U.S.A. (CA)dodo	E	1	NA	NA
Pupfish, Warm Springs	<i>Cyprinodon nevadensis</i> pectoralis	U.S.A. (NV)dodo	E	2	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Salmon, Atlantic	<i>Salmo salar</i>	U.S.A., Canada, Greenland, western Europe.	E	705	NA	NA
		U.S.A., ME Gulf of Maine/Atlantic Salmon Distinct Population Segment, which includes all naturally reproducing wild populations and those river-specific hatchery populations of Atlantic salmon having historical, river-specific characteristics found north of and including tributaries of the lower Kennebec River to, but not including, the mouth of the St. Croix River at the U.S.-Canada border. To date, the Services have determined that these populations are found in the Demerys, East Machias, Machias, Pleasant, Narraguagus, Sheepscot, and Ducktrap Rivers and in Cove Brook, Maine..	E	226.204	NA	NA
		Sacramento R. (U.S.A.-CA) winter run, wherever found.	E	383E, 407, 534	NA	NA
		North America from Ventura R. in California to Point Hope, Alaska, and the Mackenzie R. area in Canada; Northeast Asia from Hokkaido, Japan, to the Amadyr R., Russia.	T	516, 557E	226.205	NA
	Oncorhynchus (= <i>Salmo</i>) <i>tsawytscha</i>
	Dodo
	Dodo
	Dodo
	Dodo
			T	516, 557E	226.205	NA
			T	664	226.212	223.203
			T	664	226.212	223.203

§ 17.11

50 CFR Ch. I (10-1-08 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	Critical habitat	Special rules
					When listed		
Dodododo	U.S.A.(WA) all naturally spawned populations in the Columbia R. tributaries upstream of Rock Island Dam and downstream of Chief Joseph Dam, excluding the Okanogan R., and the Columbia R. from a line between the west end of Clatsop Jetty, OR, and the west end of Peacock Jetty, WA, upstream to Chief Joseph Dam, including spring-run hatchery stocks (and their progeny) in Chinook R., Methow R., Twisp R., Chewachuk R., White R., and Nason Creek.	T	664	226.212
Dodododo	U.S.A.(CA) from Redwood Creek south to Russian R., inclusive, all naturally spawned populations in mainstems and tributaries.	T	674	226.212
Dodododo	U.S.A.(CA) all naturally spawned spring-run populations from the Sacramento San Joaquin R. mainstem and its tributaries.	T	674	226.212
Dodododo	U.S.A.(OR) all naturally spawned populations in the Clackamas R. and the Willamette R., and its tributaries above Willamette Falls.	T	664	226.212
Dodododo	U.S.A.(WA) all naturally spawned populations from rivers and streams flowing into Puget Sound, including the Straits of Juan De Fuca from the Elwha R. eastward, and Hood Canal, South Sound, North Sound and the Strait of Georgia.	T	664	226.212
Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>keta</i>			U.S.A. (OR, WA) all naturally spawned populations in the Columbia R. and its tributaries.	T	664	223.203
				North Pacific Rim from Korea and the Japanese Island of Honshu east to Monterey Bay California; Arctic Ocean from the Laptev Sea in Russia to Mackenzie R. in Canada.			

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Do	do	do	U.S.A. (VA) all naturally spawned summer-run populations in Hood Canal and its tributaries and Olympic Peninsula rivers between Hood Canal and Dungeness Bay.	T	664	226.212	223.203
Do	Oncorhynchus (<i>=Salmo</i>) <i>kisutch</i>	North Pacific Basin from U.S.A. (CA to AK) to Russia and Japan.	U.S.A. (CA), naturally spawning populations in streams between Punta Gorda, Humboldt River, Santa Cruz, Co., CA. Co., CA and the San Lorenzo River, Santa Cruz, Co., CA.	T	598	NA	NA
Do	do	do	U.S.A. (natural populations in river basins between Cape Blanco in Curry County, OR and Punta Gorda in Humboldt Co., CA).	T	618	226.212	NA
Do	Oncorhynchus (<i>=Salmo</i>) <i>nerka</i> ...	North Pacific Basin from U.S.A. (CA) to Russia.	U.S.A. (Shake River, ID stock wherever found.), U.S.A. (WA) all naturally spawned populations in Ozette Lake and its tributary streams.	E	455	226.205	NA
Do	do	do	U.S.A. (Gulf of Mexico from Texas to Florida and along the east coast from Florida to Cape Hatteras).	T	664	226.212	223.203
Do	<i>Pristispectinata</i>	North Atlantic (Mediterranean, U.S. Atlantic and Gulf of Mexico) and the Southwest Atlantic.	Entire	E	748	NA	NA
Do	<i>Cottuspygmaeus</i>	U.S.A. (AL)	Arkansas River Basin (AR, KS, NM, OK, TX)	T	365	NA	17.44(u)
Do	<i>Notropisgirardi</i>	U.S.A. (AR, KS, NM, OK, TX)	Entire	T	653	17.95(e)	NA
Do	<i>Cyprinellafornicosa</i>	U.S.A. (AZ, NM), Mexico	Entire	T	157	17.95(e)	17.44(h)
Do	<i>Cyprinellacarabae</i>	U.S.A. (AL, GA, TN)	do	T	462	NA	NA
Do	<i>Notropiscarabae</i>	U.S.A. (AL)	do	E	405	NA	NA
Do	<i>Notropismekistocholas</i>	U.S.A. (INC)	do	E	290	17.95(e)	NA
Do	<i>Notropisalbizonatus</i>	U.S.A. (AL, KY, TN)	do	E	502	NA	NA
Do	<i>Notropissturmipecosensis</i>	U.S.A. (NM)	do	T	258	17.95(e)	17.44(t)
Do	(<i>Notropisloperae</i> = <i>frislis</i>)	U.S.A. (IA, KS, MN, MO, NE, SD). U.S.A. (INC)	do	E	654	17.95(e)	NA
Do	<i>Menidiapeninsulae</i>	U.S.A. (CA)	do	T	265	17.95(e)	17.44(s)
Do	<i>Hypomesustranspacificus</i>	U.S.A. (AZ, NM), Mexico	do	T	492	17.95(e)	NA
Do	<i>Mesopomusfuliginea</i>	U.S.A. (NV)	do	T	236	17.95(e)	17.44(p)
Do	<i>Lepidomeda</i> <i>mollispinispratensis</i>	U.S.A. (AZ)	do	T	173	17.95(e)	17.44(t)
Do	<i>Lepidomeda</i> <i>vittata</i>	U.S.A. (NV)	do	T	287	17.95(e)	NA
Do	<i>Lepidomedaalbivallis</i>	do	do	E	203	17.95(e)	NA
Do	<i>Crenichthysbaileyi</i> <i>grandsquamis</i>	do	do	E	206	17.95(e)	NA
Do	<i>Crenichthysbaileyi</i> <i>baileyi</i>	do	do	T	224	17.95(e)	17.44(n)
Do	<i>Crenichthysbaileyi</i> <i>nevadae</i>	do	do	E	206	17.95(e)	NA
Do	<i>Crenichthysbaileyi</i> <i>baileyi</i>	do	do	T	206	17.95(e)	17.44(n)

§ 17.11

50 CFR Ch. I (10-1-08 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Steelhead	Oncorhynchus (<i>=Salmo</i>) mykiss		North Pacific Ocean from the Kamchatka Peninsula in Asia to the northern Baja Peninsula.	All naturally spawned populations (and their progeny) in rivers from the Santa Maria R., San Luis Obispo County, CA (inclusive) to Malibu Cr., Los Angeles County, CA (inclusive).	E	638	226.212	NA
Dodo.....	do.....	All naturally spawned populations (and their progeny) in the Upper Columbia R. Basin upstream from the Yakima R., WA, to the U.S./Canada border, and also including the Wells Hatchery stock.	E	638	226.212	NA
Dodo.....	do.....	All naturally spawned populations (and their progeny) in streams from the Russian R. to Aplos Cr., Santa Cruz County, CA (inclusive), and the drainages of San Francisco and San Pablo Bays eastward to the Napa R. (inclusive), Napa County, CA, excluding the Sacramento-San Joaquin R. Basin of the Central Valley of CA.	T	638	226.212	223.203
Dodo.....	do.....	All naturally spawned populations (and their progeny) in streams from the Pajaro R. (inclusive) located in Santa Cruz County, CA, to (but not including) the Santa Maria R.	T	638	226.212	223.203
Dodo.....	do.....	All naturally spawned populations (and their progeny) in streams in the Snake R. Basin of southeast WA, northeast OR, and ID.	T	638	226.212	223.203

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Dododo	T	638	226.212	223.203
Dododo	T	638	226.212	223.203
Dododo	T	664	226.212	223.203
Dododo	T	664	226.212	223.203
Dododo	T	664	226.212	223.203
Dododo	T	701	NA	NA
Stickleback, unarmored threespine williamsoni. Scaphirhynchus suttkusi	Gasterosteus aculeatus U.S.A. (CA)do	E	2	NA	NA
Sturgeon, Alabama	U.S.A. (AL, MS)do	E	697	NA	NA

§ 17.11

50 CFR Ch. I (10-1-08 Edition)

	Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
		<i>Huso huso</i>	Azerbaijan, Bosnia and Herzegovina, Bulgaria, Croatia, Czech Republic, Georgia, Hungary, Islamic Republic of Iran, Italy, Kazakhstan, Republic of Moldova, Romania, Russian Federation, Serbia and Montenegro, Turkey, Turkmenistan, Ukraine.dodo	T	743	NA	17.44(y)
		<i>Acipenser oxyrinchus</i> (<i>=oxyrinchus</i>) <i>desotoi</i> <i>Acipenser medirostris</i>	U.S.A. (AL, FL, GA, LA, MS)	U.S.A. (CA)	U.S.A. (CA) Southern Distinct Population Segment, which includes all spawning populations south of the Eel River (exclusive), principally including the Sacramento River spawning population. Entire	T	444 756	17.95(e), 226,214 NA	17.44(v) NA
		<i>Scaphirhynchus albus</i>	U.S.A. (AR, IA, IL, KS, KY, LA, MO, MS, MT, ND, NE, SD, TN). U.S.A. and Canada (Atlantic Coast).	U.S.A. (AK, CA, ID, MT, OR, WA), Canada (BC), U.S.A. (UT)	U.S.A. (ID, MT), Canada (BC), (Kootenai R. system). Entire	E	399	NA	NA
48		<i>Acipenser brevirostrum</i>	U.S.A. (CA, OR)dodo	E	1	NA	NA
		<i>Acipenser transmontanus</i>	U.S.A. (CA)dodo	E	549	17.95(e)	NA
		<i>Chasmistes liorus</i>	U.S.A. (AZ, CA, CO, NM, NV, UT, WY), Mexico.dodo	E	223	17.95(e)	NA
		<i>Deltistes luxatus</i>dododo	E	313	NA	NA
		<i>Catostomus micros</i>dododo	E	184	17.95(e)	NA
		<i>Xyrauchen texanus</i>dododo	E	447	17.95(e)	NA
		<i>(Catostomus sanctanae)</i>dododo	T	694	17.95(e)	NA
		<i>Chasmistes brevirostris</i>	U.S.A. (CA, OR)dodo	E	313	NA	NA
		<i>Catostomus warnerensis</i>	U.S.A. (OR)dodo	E	205	17.95(e)	17.44(l)
		<i>Tanakia tanago</i>	Japandodo	E	3	NA	NA
		<i>Probarbus julieni</i>	Thailand, Cambodia, Vietnam, Malaysia, Laos.dodo	E	15	NA	NA
		<i>Poeciliopsis occidentalis</i>	U.S.A. (AZ, NM), Mexico	U.S.A. onlydo	E	1	NA	NA
		<i>Cynodonichthys macdonaldi</i>	Mexico (Gulf of California)dodo	E	48	NA	NA
		<i>Oncorhynchus apache</i>	U.S.A. (AZ)dodo	T	1,8	17.44(a)	17.44(w), 17.44(e)
		<i>Sauvainius confluentus</i>	U.S.A. (AK, Pacific NW into CA, ID, NV, MT), Canada (NW Territories)	U.S.A. coterminous (lower 48 states).do	T	637, 639E, 659,	17.95(e) 1,670	17.44(x) 17.44(f)
		<i>Oncorhynchus gilae</i>	U.S.A. (AZ, NM)	Entiredo	T	1,757 1,38	NA	17.44(z) NA
		<i>Oncorhynchus clarkii stoma</i>	U.S.A. (CO)dodo				
		Trout, Giladododo				
		Trout, greenback cutthroatdododo				

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Trout, Lahontan cutthroat	U.S.A. (CA, NV, OR, UT)	do	2.8	NA
Trout, Little Kern golden	U.S.A. (CA)	do	2.37	17.44(a)
Trout, Paiute cutthroat	do	do	1.8	17.44(e)
Woundfin	U.S.A. (AZ, NV, UT)	do	2, 193	NA
Do	do	do	do	17.95(e)
Clams				
Abalone, white				
Acornshell, southern	North America (West coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	NA	NA	17.84(b)
Bankclimber, purple (mussel)	U.S.A. (AL, GA, TN)	NA	NA	NA
Bean, Cumberland (pearymussel)	U.S.A. (AL, FL, GA)	NA	NA	NA
Do	U.S.A. (AL, KY, TN, VA)	NA	NA	NA
Do	do	do	do	17.85(a)
Do	do	do	do	17.85(b)
Bean, Purple	U.S.A. (TN, VA)	E	NA	NA
Blossom, green (pearymussel)	do	E	NA	NA
Blossom, tubercled (pearymussel)	U.S.A. (AL, IN, KY, TN, WV)	E	NA	NA
Do	do	E	NA	NA
Blossom, turgid (pearymussel)	U.S.A. (AL, TN)	E	NA	NA
Do	do	E	NA	NA
Blossom, yellow (pearymussel)	Epioblasma florentina florentina	U.S.A. (AL, IL, IN, KY, OH, TN)	NA	NA
Do	do	U.S.A. (AL, IL, IN, KY, OH, TN)	NA	NA
Catspaw, (-purple cat's paw pearymussel). Do	do	do	do	17.85(a)
Catspaw, white (pearymussel)	Epioblasma obliquata perobliqua	U.S.A. (IN, MI, OH)	XN	NA
Clubshell	Pleurobema clava	U.S.A. (AL, IL, IN, KY, MI, OH, PA, TN, WV)	NA	NA
Do	do	do	do	17.85(a)
Clubshell, black	Pleurobema curtum	U.S.A. (AL, MS)	E	NA
Clubshell, ovate	Pleurobema perovatum	U.S.A. (AL, TN, GA, MS)	E	17.95(f)
Clubshell, southern	Pleurobema decisum	do	E	NA
Combshell, Cumberlandian	Epioblasma brevidens	U.S.A. (AL, KY, MS, TN, VA)	E	17.95(f)
		U.S.A. (AL, KY, MS, TN, VA)	E	NA

§ 17.11

50 CFR Ch. I (10-1-08 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Dodododo	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)).	XN	709	NA	17.85(a)
Dodododo	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	XN	NA	17.85(b)
Combshell, southern	<i>Epioblasma metastriata</i> (= <i>Dysnomia</i>) <i>penita</i>	U.S.A. (AL, MS)	E	262	NA	NA
Combshell, upland	<i>Epioblasma metastriata</i>	U.S.A. (AL, GA, TN)	E	495	17.95(f)	NA
Elktoe, Appalachian	<i>Alassmidonta raveneliana</i>	U.S.A. (NC, TN)	E	563	17.95(f)	NA
Elktoe, Cumberland	<i>Alassmidonta atropurpurea</i>	U.S.A. (KY, TN)	E	602	17.95(f)	NA
Fanshell	<i>Cyprigenia stegaria</i> (= <i>irrorata</i>)	U.S.A. (AL, IL, IN, KY, OH, PA, TN, VA, WV)	E	391	NA	NA
Dodododo	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	XN	NA	17.85(b)
Fatmucket, Arkansas	<i>Lampsilis powelli</i>	U.S.A. (AR)	T	382	NA	NA
Heelsplitter, Alabama (=infated)	<i>Potamilus inflatus</i>	U.S.A. (AL, LA, MS)	T	404	NA	NA
Heelsplitter, Carolina	<i>Lasmigona decorata</i>	U.S.A. (NC, SC)	E	505	17.95(f)	NA
Higgins eye (pearly mussel)	<i>Lampsilis higginsii</i>	U.S.A. (IA, IL, MN, MO, NE, WI)	E	15	NA	NA
Kidneyshell, triangular	<i>Ptychobranchus greenii</i>	U.S.A. (AL, GA, TN)	E	495	17.95(f)	NA
Lampmussel, Alabama	<i>Lampsilis virescens</i>	U.S.A. (AL, TN)	E	15	NA	NA
Dodododo	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)).	XN	709	NA	17.85(a)
Liliput, pale (pearly mussel)	<i>Toxolasma cylindrella</i>	E	15	NA	NA
Mapleleaf, winged (mussel)	<i>Quadrula fragosa</i>	U.S.A. (IL, IN, KY, MN, MO, NE, OH, OK, TN, WI)	E	426	NA	NA
Dodododo	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)).	XN	709	NA	17.85(a)
Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	U.S.A. (AL, GA, MS)	T	495	17.95(f)	NA
Moccasinshell, Coosa	<i>Medionidus parvulus</i>	U.S.A. (AL, GA, TN)	E	495	17.95(f)	NA
Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	U.S.A. (AL, FL, GA)	E	633	17.95(f)	NA
Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>	U.S.A. (FL, GA)	E	633	17.95(f)	NA
Monkeyface, Appalachian (peary mussel), Do	<i>Quadrula sparsa</i>	U.S.A. (TN, VA)	E	15	NA	NA
Dodododo	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	XN	NA	17.85(b)
Monkeyface, Cumberland (peary mussel), Do	<i>Quadrula intermedia</i>	U.S.A. (AL, TN, VA)	E	15	NA	NA
Dodododo	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)).	XN	709	NA	17.85(a)

U.S. Fish and Wildlife Serv., Interior

§ 17.11

§ 17.11

50 CFR Ch. I (10-1-08 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Dodododo	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	XN	NA	17.85(b)
Pigtoe, flat	<i>Pleurobema marshalli</i>	U.S.A. (AL, MS)	E	262	NA	NA
Pigtoe, heavy	<i>Pleurobema taylorianum</i>do	E	262	NA	NA
Pigtoe, oval	<i>Pleurobema pyriforme</i>	U.S.A. (AL, FL, GA)	E	633	17.95(f)	NA
Pigtoe, rough	<i>Pleurobema plicatum</i>	U.S.A. (AL, IN, KY, PA, TN, VA)	E	15	NA	NA
Dododo	XN	NA	17.85(b)
Pigtoe, shiny	<i>Fusconaia cor</i>	U.S.A. (AL, TN, VA)	E	15	NA	NA
Dododo	XN	709	NA	17.85(a)
Dododo	NA	17.85(b)
Pigtoe, southern	<i>Pleurobema georgianum</i>	U.S.A. (AL, GA, TN)	XN	NA	17.85(b)
Pimpleback, orangefoot (pearlymussel). Do	<i>Platobusus cooperanus</i>	U.S.A. (AL, IL, IN, KY, OH, PA, TN)	E	495	17.95 (f) NA	NA
Pocketbook, fatdodo	XN	NA	17.85(b)
Pocketbook, fat	<i>Potamilus capax</i>	U.S.A. (AR, IA, IL, IN, KY, MO, MS, OH)	E	15	NA	NA
Pocketbook, fine-lined	<i>Lampsilis altilis</i>	U.S.A. (AL, GA)	T	495	17.95 (f) NA	NA
Rock-pocketbook, Ouchita	<i>Ankaria wheeleri</i>do	E	446	NA	NA
Pocketbook, shirleyaved	<i>Lampsilis subangulata</i>	U.S.A. (AL, FL, GA)	E	633	17.95(f) NA	NA
Pocketbook, speckled	<i>Lampsilis streckeri</i>	U.S.A. (AR)	E	345	NA	NA
Rabbitfoot, rough	<i>Quadrula cylindrica</i>	E	602	17.95(f) NA	NA
Rifflershell, northern	<i>Epioblasma torulosa rangiana</i>	U.S.A. (IL, IN, KY, MI, OH, PA, WV), Canada (Ont.)	E	488	NA	NA
Rifflershell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri).	U.S.A. (AL, KY, NC, TN, VA)	E	27	NA	NA
Pink, ring (mussel)	<i>Obovaria retusa</i>	U.S.A. (AL, IL, IN, KY, OH, PA, TN, WV)	E	369	NA	NA
Dododo	XN	NA	17.85(b)
Slabshell, Chipola	<i>Elliptio chipolaensis</i>	U.S.A. (AL, FL)	NA	17.95(f)
Spiny mussel, James	<i>Pleurobema collina</i>	U.S.A. (VA, WV)	T	633	NA	NA
Spiny mussel, Tar River	<i>Elliptio steinbachi</i>	U.S.A. (NC)	E	316	NA	NA
Stirrupshell	<i>Quadrula stapes</i>	U.S.A. (AL, MS)	E	188	NA	NA
Threeridge, fat (mussel)	<i>Atrypella neisetii</i>	U.S.A. (FL, GA)	E	262	NA	NA
Wartyback, white (pearlymussel)	<i>Platobusus cicatricosus</i>	U.S.A. (AL, IL, IN, KY, TN)	E	633	17.95(f) NA	NA
						15	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

§ 17.11

50 CFR Ch. I (10-1-08 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Springsnail, Roswell	<i>Pyrgulopsis rosvellensis</i>	do	NA	E	NA 442	NA NA	NA
Springsnail, Socorro	<i>Pyrgulopsis neomexicana</i>	do	Entire	E	351	NA	NA
INSECTS	<i>Nicrophorus americanus</i>	U.S.A. (eastern States south to FL, west to SD and TX), eastern Canada.	do	E	327, 513 629	NA 17.95(i) 17.95(i)	NA
	<i>Batriscodes texanus</i>	U.S.A. (TX)	do	E	100	17.95(i) 17.95(i)	NA
Beetle, Coffin Cave mold	<i>Sympatromes comalensis</i>	do	NA	E	706	NA	NA
Beetle, Comal Springs dryopid	<i>Heterelmis comalensis</i>	do	NA	E	533	NA	NA
Beetle, Comal Springs rifle	<i>Elaphrus viridis</i>	U.S.A. (CA)	Entire	T
Beetle, delta green ground	<i>Batriscodes veryki</i>	U.S.A. (TX)	Entire	E
Beetle, Helotes mold	<i>Brychius hungerfordi</i>	U.S.A. (MI, Canada)	Entire	E
Beetle, Hungerford's crawling wafer	<i>Texamaurus reddelli</i>	U.S.A. (TX)	do	E	327, 513 605	NA NA	NA
Beetle, Kretschmar Cave mold	<i>Polyphylla barbata</i>	U.S.A. (CA)	do	E	706	17.95(i) 17.95(i)	NA
Beetle, Mount Hermon June	<i>Rhadine exilis</i>	U.S.A. (TX)	NA	E	706	NA	NA
Beetle, [no common name]	<i>Cicindela dorsalis dorsalis</i>	do	NA	T	396	NA	NA
Beetle, [no common name]	<i>Cicindela oholiae (C4)</i>	U.S.A. (CT, MA, MD, NJ, NY, PA, RI, VA)	Entire	E
Beetle, northeast beach tiger	<i>Cicindela puritana</i>	U.S.A. (CA)	NA	E	713	NA	NA
Beetle, Ohione tiger	<i>Cicindela nevadica lincoliana</i>	U.S.A. (NE)	Entire	E	396	NA	NA
Beetle, Puntian tiger	<i>Rhadine persephone</i>	U.S.A. (TX)	do	E	754	NA	NA
Beetle, Salt Creek tiger	<i>Desmocerus californicus dimorphus</i>	U.S.A. (CA)	do	E	327	NA	NA
Beetle, Tooh Cave ground	<i>Euphydryas editha bayensis</i>	do	do	T	99	17.95(i)	NA
Beetle, Valley elderberry longhorn	<i>Speyeria zerene bethensis</i>	do	do	E	288	17.95(i)	NA
Butterfly, bay checkerspot	<i>Speyeria callippe callippe</i>	do	do	E	628	NA	NA
Butterfly, Benicia silverspot	<i>Butterfly, E Segundo swallowtail</i>	Corsica, Sardinia	do	E	628	NA	NA
Butterfly, Callippe silverspot	<i>Euphilotes batodaeus almyri</i>	U.S.A. (CA)	do	E	486	NA	NA
Butterfly, E Segundo blue	<i>Icaricia icarioides fenderi</i>	U.S.A. (OR)	NA	E	14	NA	NA
Butterfly, Fender's blue	<i>Papilio homerus</i>	Jamaica	Entire	E	679	17.95(i)	NA
Butterfly, Honnerus swallowtail	<i>Lycaeides melissa samuelis</i>	U.S.A. (IL, IN, MA, MI, MN, NH, NY, OH, PA, WI), Canada (Ont.)	do	E	486	NA	NA
Butterfly, Karner blue	<i>Apodemia mormon larlei</i>	U.S.A. (CA)	do	E	484	NA	NA
Butterfly, Lange's metalmark	<i>Lycaeides argyrogynon loris</i>	Philippines	do	E
Butterfly, lotis blue	<i>Papilio chikae</i>	do	do	E	14	NA	NA
Butterfly, Luzon peacock swallowtail	<i>Icaricia icarioides missionensis</i>	U.S.A. (CA)	do	E	14	NA	NA
Butterfly, mission blue	<i>Neonympha mitchellii mitchellii</i>	U.S.A. (IN, MI, NJ, OH)	do	E	428E, 469	NA	NA
Butterfly, Mitchell's satyr	<i>Speyeria zerene myrtleae</i>	U.S.A. (CA)	do	E	472	NA	NA
Butterfly, Myrtle's silverspot	<i>Speyeria zerene hippolyta</i>	U.S.A. (CA, OR, WA)	do	T	95	17.95(i)	NA
Butterfly, Oregon silverspot	<i>Glaucopsyche lygdamus palosverdesensis</i>	U.S.A. (CA)	do	E	96	17.95(i)	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Butterfly, Queen Alexandra's birdwing, Schaus swallowtail	<i>Troides alexandrae</i> <i>Euphydryas editha quino</i> <i>Neonympha mitchelli francisci</i>	Papua New Guinea U.S.A. (CA), Mexico U.S.A. (NC)	do do do	NA	NA
Butterfly, Quino checkerspot	<i>Callophrys mossii bayensis</i> <i>Heraclides aristodemus</i> <i>Euphilotes enoplos smithi</i>	U.S.A. (CA) U.S.A. (FL)	do	E 604 539E, 574	17.95(i) NA
Butterfly, Saint Francis' satyr	<i>Boloria acrocnema</i> <i>Somatochlora hineana</i>	U.S.A. (CO) U.S.A. (AL, IL, IN, MI, MO, OH, and WI). Entire	do	E 13, 159	NA
Butterfly, San Bruno elfin	<i>Rhabiomidas terminatus</i> abdominalis.	U.S.A. (CA)	do	E 14	NA
Butterfly, Schaus swallowtail	<i>Drosophila agilena</i>	U.S.A. (HI)	do	E 427	NA
Butterfly, Smith's blue	<i>Drosophila differens</i>	do	do	E 573	17.95(i)
Butterfly, Uncompahgre fritillary	<i>Drosophila hemipepla</i>	do	do	E 517	NA
Dragonfly, Hine's emerald	<i>Drosophila heteroneura</i>	do	do	E 756	NA
Fly, Delhi Sands flower-loving	<i>Drosophila montgomeryi</i>	do	do	E 756	NA
Fly, Hawaiian picture-wing	<i>Drosophila mulii</i>	do	do	E 756	NA
Fly, Hawaiian picture-wing	<i>Drosophila musophilina</i>	do	do	E 756	NA
Fly, Hawaiian picture-wing	<i>Drosophila neoclavatae</i>	do	do	E 756	NA
Fly, Hawaiian picture-wing	<i>Drosophila obatai</i>	do	do	E 756	NA
Fly, Hawaiian picture-wing	<i>Drosophila othobasis</i>	do	do	E 756	NA
Fly, Hawaiian picture-wing	<i>Drosophila subsimilis</i>	do	do	E 756	NA
Fly, Hawaiian picture-wing	<i>Drosophila tephryricha</i>	do	do	E 756	NA
Fly, Hawaiian picture-wing	<i>Trimerotropis marginitis</i>	U.S.A. (CA)	do	E 605	17.95(i)
Moth, Blackburn's sphinx	<i>Maniduca blackburni</i>	U.S.A. (HI)	do	E 682	17.95(i)
Moth, Kem primrose sphinx	<i>Euprosopia eterepe</i>	U.S.A. (CA)	do	E 91	NA
Naucorid, Ash Meadows	<i>Ambrysus amargosus</i>	U.S.A. (NV)	do	E 181	17.95(i)
Skipper, Carson wandering	<i>Pseudocapaedae eunus</i> obscurus.	U.S.A. (CA, NV)	do	E 730	NA
Skipper, Laguna Mountains	<i>Pyrgus uratlis lagunae</i>	U.S.A. (CA)	do	E 604	17.95(i)
Skipper, Pawnee montane	<i>Hesperia bernardus montana</i>	U.S.A. (CO)	do	E 289	NA
ARACHNIDS					
Harvestman, Bee Creek Cave	<i>Texella reddelli</i>	U.S.A. (TX)	do	E 327, 513	NA
Harvestman, Bone Cave	<i>Texella reyesi</i>	do	do	E 327, 513	NA
Harvestman, Cokendolpher Cave	<i>Texella cokendolpheri</i>	do	do	E 706	17.95(g)
Meshweaver, Braken Bat Cave	<i>Circumna venii</i>	do	do	E 706	17.95(g)
Meshweaver, Government Canyon Bat Cave	<i>Circumna vespria</i>	do	do	E 706	NA
Meshweaver, Madia Cave	<i>Cicurina madia</i>	do	do	E 706	17.95(g)
Meshweaver, Robber Baron Cave	<i>Cicurina baronia</i>	do	do	E 706	17.95(g)
Pseudoscorpion, Tooth Cave	<i>Taracocreaspis texana</i>	do	do	E 327	NA
Spider, Government Canyon Bat Cave, Kauai Cave Wolf	<i>Neoleptoneta micros</i>	do	do	E 706	NA
Spider, spruce-fir moss	<i>Adeocosa anom</i>	U.S.A. (HI)	do	E 676	17.95(g)
Spider, spruce-fir moss	<i>Microhexura montivaga</i>	U.S.A. (NC, TN)	do	E 576	17.95(g)
Spider, Tooth Cave	<i>Neoleptoneta myopica</i>	U.S.A. (TX)	do	E 327	NA

§ 17.11

50 CFR Ch. I (10-1-08 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
CRUSTACEANS								
Amphipod, Hay's Spring	<i>Syngobromus hayi</i>	U.S.A. (DC)	do	E	115	NA	NA
Amphipod, Illinois cave	<i>Gammarus acherondyles</i>	U.S.A. (IL)	do	E	642	NA	NA
Amphipod, Kauai cave	<i>Sphaerorchestes koholana</i>	U.S.A. (HI)	NA	E	676	17.95(h)	NA
Amphipod, Noel's	<i>Gammarus desperatus</i>	U.S.A. (NM)	E	NA	NA	
Amphipod, Peck's cave	<i>Syngobromus (=Shigonectes) Pecki.</i>	U.S.A. (TX)	NA	E	629	17.95(h)	NA
Crayfish, cave	<i>Cambarus acutalabrum</i>	U.S.A. (AR)	Entire	E	499	NA	NA
Do	<i>Orconectes shouyi</i>	do	do	E	263	NA	NA
Crayfish, Nashville	<i>Orconectes zophonastes</i>	U.S.A. (TN)	E	242	NA	NA
Crayfish, Shasta	<i>Pacifastacus fontis</i>	U.S.A. (CA)	do	E	337	NA	NA
Fairy shrimp, Conservancy	<i>Brachinecta conservatio</i>	do	do	E	552	17.95(h)	NA
Fairy shrimp, longhorn	<i>Brachinecta longantennata</i>	do	do	E	552	17.95(h)	NA
Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>	do	do	E	512	17.95(h)	NA
Fairy shrimp, San Diego	<i>Brachinecta sandiegensis</i>	U.S.A. (CA, OR)	Entire	E	608	17.95(h)	NA
Isopod, Lee County cave	<i>Liceus usdagulin</i>	U.S.A. (VA)	do	E	552	17.95(h)	NA
Isopod, Madison Cave	<i>Antrolana lira</i>	do	E	483	NA	NA
Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>	U.S.A. (NM)	do	T	123	NA	
Shrimp, Alabama cave	<i>Palaeomonas elabanae</i>	U.S.A. (AL)	do	E	36	NA	NA
Shrimp, California freshwater	<i>Synbranchus pacifica</i>	U.S.A. (CA)	do	E	323	NA	NA
Shrimp, Kentucky cave	<i>Palaeomonas ganteri</i>	U.S.A. (KY)	do	E	340	NA	NA
Shrimp, Squirrel Chimney Cave	<i>Palaeomonetes cummingi</i>	U.S.A. (FL)	do	E	135	17.95(h)	NA
Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>	U.S.A. (CA)	do	E	390	NA	NA
CORALS	<i>Acropora palmata</i>	NA	E	552	17.95(h)	NA
Coral, elk horn		U.S.A. (FL, PR, VI, Navassa); and wider Caribbean-Belize, Colombia, Costa Rica, Guatema, Honduras, Mexico, Nicaragua, Panama, Venezuela, and all the islands of the West Indies.	T	756	NA	NA
	<i>Acropora cervicornis</i>	U.S.A. (FL, PR, VI, Navassa); and wider Caribbean-Belize, Colombia, Costa Rica, Guatema, Honduras, Mexico, Nicaragua, Panama, Venezuela, and all the islands of the West Indies.	NA	T	756	NA	NA
Coral, staghorn					

Symbols used in the four left columns:
 "Do," or "... do..."—(Ditto) indicates the entry is the same as the column entry directly above.
 Symbols used in the "When listed" column:

- A—Indicates a correction to the publication with the same "When listed" number.
- D—Indicates FR where species was Delisted; raising of the species is indicated by subsequent number(s).
- E—Indicated Emergency rule publication (see FR document for effective dates); subsequent number(s) indicate FR final rule, if applicable, under "When listed".

U.S. Fish and Wildlife Serv., Interior**§ 17.11**

- 1—32 FR 4001; March 11, 1967.
2—35 FR 16047; October 13, 1970.
3—35 FR 8495; June 2, 1970.
4—35 FR 18320; December 2, 1970.
5—37 FR 6176; March 28, 1972.
6—38 FR 14678; June 4, 1973.
7—39 FR 44991; December 30, 1974.
8—40 FR 29864; July 16, 1975.
9—40 FR 31736; July 28, 1975.
10—40 FR 44151; September 25, 1975.
11—40 FR 44418; September 26, 1975.
12—40 FR 47506; October 9, 1975.
13—41 FR 17740; April 28, 1976.
14—41 FR 22044; June 1, 1976.
15—41 FR 24064; June 14, 1976.
15A—41 FR 26019; June 24, 1976.
16—41 FR 45993; October 19, 1976.
17—41 FR 51021; November 19, 1976.
18—41 FR 51612; November 23, 1976.
19—41 FR 53034; December 3, 1976.
20—42 FR 2076; January 10, 1977.
21—42 FR 2968; January 14, 1977.
22—42 FR 15971; March 24, 1977.
24—42 FR 28545; June 3, 1977.
25—42 FR 37373; July 21, 1977.
26—42 FR 40685; August 11, 1977.
27—42 FR 42353; August 23, 1977.
28—42 FR 45528; September 9, 1977.
29—42 FR 58757; November 11, 1977.
30—42 FR 60745; November 29, 1977.
31—43 FR 3715; January 27, 1978.
32—43 FR 4028; January 31, 1978.
33—43 FR 4621; February 3, 1978.
34—43 FR 6233; February 14, 1978.
35—43 FR 9612; March 9, 1978.
36—43 FR 12691; March 27, 1978.
37—43 FR 15429; April 13, 1978.
38—43 FR 16345; April 18, 1978.
40—43 FR 20504; May 12, 1978.
41—43 FR 28932; July 3, 1978.
42—43 FR 32808; July 28, 1978.
43—43 FR 34480; August 4, 1978.
45—44 FR 21289; April 10, 1979.
46—44 FR 23064; April 17, 1979.
48—44 FR 29480; May 21, 1979.
50—44 FR 37126; June 25, 1979.
51—44 FR 37132; June 25, 1979.
52—44 FR 42911; July 20, 1979.
54—44 FR 49220; August 21, 1979.
60—44 FR 59084; October 12, 1979.
85—44 FR 69208; November 30, 1979.
86—44 FR 70677; December 7, 1979.
87—44 FR 75076; December 18, 1979.
88—45 FR 18010; March 20, 1980.
90—45 FR 21833; April 2, 1980.
91—45 FR 24090; April 8, 1980.
92—45 FR 27713; April 23, 1980.
93—45 FR 28722; April 30, 1980.
94—45 FR 35823; May 28, 1980.
95—45 FR 44938; July 2, 1980.
96—45 FR 44942; July 2, 1980.
97—45 FR 47353; July 14, 1980.
98—45 FR 47363; July 14, 1980.
99—45 FR 52806; August 8, 1980.
100—45 FR 52810; August 8, 1980.
102—45 FR 54680; August 15, 1980.
103—45 FR 55666; August 20, 1980.
105—45 FR 63820; September 25, 1980.
106—45 FR 65134; October 1, 1980.
108—46 FR 3182; January 13, 1981.
111—46 FR 11665; February 10, 1981.
112—46 FR 40025; August 6, 1981.
113—46 FR 40669; August 10, 1981.
114—47 FR 4211; January 28, 1982.
115—47 FR 5427; February 5, 1982.
117—47 FR 19999; May 10, 1982.
119—47 FR 31672; July 21, 1982.
123—47 FR 43701; October 4, 1982.
124—47 FR 43962; October 5, 1982.
125—47 FR 46093; October 15, 1982.
127—48 FR 612; January 5, 1983.
128—48 FR 1726; January 14, 1983.
129—48 FR 28464; June 22, 1983.
130—48 FR 40184; September 2, 1983.
131—48 FR 43043; September 21, 1983.
132—48 FR 46057; October 11, 1983.
134—48 FR 46336; October 12, 1983.
135—48 FR 46341; October 12, 1983.
136—48 FR 49249; October 25, 1983.
138—49 FR 1994; January 17, 1984.
139—49 FR 2783; January 23, 1984.
142—49 FR 7335; February 28, 1984.
143—49 FR 7394; February 29, 1984.
144—49 FR 7398; February 29, 1984.
145—49 FR 10526; March 20, 1984.
146—49 FR 14356; April 11, 1984.
149—49 FR 22330; May 29, 1984.
150—49 FR 27514; July 5, 1984.
156—49 FR 33885; August 27, 1984.
157—49 FR 34494; August 31, 1984.
159—49 FR 34504; August 31, 1984.
160—49 FR 34510; August 31, 1984.
161—49 FR 35954; September 13, 1984.
163—49 FR 43069; October 26, 1984.
164—49 FR 43969; November 1, 1984.
166—49 FR 45163; November 15, 1984.
168—49 FR 49639; December 21, 1984.
169—50 FR 1056; January 9, 1985.
170—50 FR 4226; January 30, 1985.
171—50 FR 4945; February 4, 1985.
173—50 FR 12302; March 28, 1985.
174—50 FR 12305; March 28, 1985.
181—50 FR 20786; May 20, 1985.
182—50 FR 21792; May 28, 1985.
183—50 FR 23884; June 6, 1985.
184—50 FR 24530; June 11, 1985.
185—50 FR 24653; June 12, 1985.
186—50 FR 25678; June 20, 1985.
188—50 FR 26575; June 27, 1985.
189—50 FR 27002; July 1, 1985.
193—50 FR 30194; July 24, 1985.
195—50 FR 31596; August 5, 1985.
196—50 FR 31603; August 5, 1985.
203—50 FR 37198; September 12, 1985.
205—50 FR 39117; September 27, 1985.
206—50 FR 39123; September 27, 1985.
210—50 FR 50308; December 10, 1985.
211—50 FR 50733; December 11, 1985.
212—50 FR 51252; December 16, 1985.
216—51 FR 6690; February 25, 1986.
222—51 FR 10850; March 31, 1986.
223—51 FR 10857; March 31, 1986.
224—51 FR 10864; March 31, 1986.
227—51 FR 16047; April 30, 1986.

§ 17.11

228—51 FR 16482; May 2, 1986.
233—51 FR 17980; May 16, 1986.
236—51 FR 23781; July 1, 1986.
239—51 FR 27495; July 31, 1986.
241—51 FR 31422; September 3, 1986.
242—51 FR 34412; September 26, 1986.
246—51 FR 34425; September 26, 1986.
247—51 FR 39478; October 28, 1986.
248—51 FR 41796; November 19, 1986.
250—51 FR 45910; December 23, 1986.
251—52 FR 28; January 5, 1987.
258—52 FR 5302; February 20, 1987.
262—52 FR 11169; April 7, 1987.
263—52 FR 11172; April 7, 1987.
265—52 FR 11286; April 8, 1987.
267—52 FR 20719; June 3, 1987.
268—52 FR 20999; June 3, 1987.
269—52 FR 21063; June 4, 1987.
272—52 FR 22430; June 11, 1987.
273—52 FR 22585; June 12, 1987.
278—52 FR 22943; June 16, 1987.
279—52 FR 23151; June 17, 1987.
280—52 FR 25232; July 6, 1987.
281—52 FR 25380; July 7, 1987.
282—52 FR 28785; August 3, 1987.
283—52 FR 28831; August 4, 1987.
284—52 FR 29780; August 11, 1987.
287—52 FR 35040; September 16, 1987.
288—52 FR 35378; September 18, 1987.
289—52 FR 36180; September 25, 1987.
290—52 FR 36038; September 25, 1987.
292—52 FR 36779; October 1, 1987.
294—52 FR 37423; October 6, 1987.
296—52 FR 42068; November 2, 1987.
299—52 FR 42662; November 6, 1987.
304—53 FR 3570; February 5, 1988.
312—53 FR 25611; July 8, 1988.
313—53 FR 27134; July 18, 1988.
316—53 FR 27693; July 22, 1988.
317—53 FR 29337; August 4, 1988.
320—53 FR 33992; September 1, 1988.
322—53 FR 33998; September 1, 1988.
323—53 FR 34698; September 7, 1988.
327—53 FR 36033; September 16, 1988.
328—53 FR 37970; September 28, 1988.
334—53 FR 38453; September 30, 1988.
336—53 FR 38460; September 30, 1988.
337—53 FR 38465; September 30, 1988.
338—53 FR 38469; September 30, 1988.
340—53 FR 43889; October 31, 1988.
342—53 FR 45865; November 14, 1988.
345—54 FR 8341; February 28, 1989.
348—54 FR 15208; April 17, 1989.
349—54 FR 20602; May 12, 1989.
350—54 FR 22906; May 30, 1989.
351—54 FR 29655; July 13, 1989.
357—54 FR 32331; August 4, 1989.
358—54 FR 34468; August 18, 1989.
359—54 FR 34472; August 18, 1989.
361—54 FR 35311; August 24, 1989.
364—54 FR 38951; September 21, 1989.
365—54 FR 39849; September 28, 1989.
366—54 FR 39853; September 28, 1989.
369—54 FR 40112; September 29, 1989.
370—54 FR 41453; October 10, 1989.
371—54 FR 43969; October 30, 1989.
372—54 FR 47861; November 17, 1989.

50 CFR Ch. I (10-1-08 Edition)

376—55 FR 9136; March 12, 1990.
377—55 FR 9451; March 14, 1990.
378—55 FR 12191; April 2, 1990.
382—55 FR 12801; April 5, 1990.
383—55 FR 12832; April 6, 1990.
384—55 FR 13488; April 10, 1990.
387—55 FR 18845; May 4, 1990.
388—55 FR 21153; May 22, 1990.
390—55 FR 25591; June 21, 1990.
391—55 FR 25595; June 21, 1990.
393—55 FR 26194; June 26, 1990.
394—55 FR 28213; July 10, 1990.
396—55 FR 32094; August 7, 1990.
399—55 FR 36647; September 6, 1990.
400—55 FR 39416; September 27, 1990.
401—55 FR 39860; September 28, 1990.
404—55 FR 39872; September 28, 1990.
405—55 FR 42966; October 25, 1990.
407—55 FR 49623; November 30, 1990.
408—55 FR 50006; December 4, 1990.
410—55 FR 51112; December 12, 1990.
411—55 FR 53160; December 27, 1990.
412—56 FR 800; January 9, 1991.
415—56 FR 1459; January 14, 1991.
416—56 FR 1463; January 14, 1991.
417—56 FR 1463; January 14, 1991.
419—56 FR 13600; April 3, 1991.
421—56 FR 19814; April 30, 1991.
423—56 FR 21087; May 7, 1991.
426—56 FR 28349; June 20, 1991.
427—56 FR 28717; June 24, 1991.
428—56 FR 28828; June 25, 1991.
431—56 FR 37671; August 8, 1991.
432—56 FR 40267; August 14, 1991.
433—56 FR 41488; August 21, 1991.
442—56 FR 49649; September 30, 1991.
443—56 FR 49653; September 30, 1991.
444—56 FR 49658; September 30, 1991.
446—56 FR 54957; October 23, 1991.
447—56 FR 54967; October 23, 1991.
449—56 FR 56333; November 4, 1991.
454—56 FR 64723; December 12, 1991.
455—57 FR 213; January 3, 1992.
456—57 FR 594; January 7, 1992.
459—57 FR 13661; April 17, 1992.
462—57 FR 14790; April 22, 1992.
469—57 FR 21569; May 20, 1992.
472—57 FR 27858; June 22, 1992.
475—57 FR 28024; June 23, 1992.
477—57 FR 44340; September 25, 1992.
479—57 FR 45337; October 1, 1992.
483—57 FR 54726; November 20, 1992.
484—57 FR 59244; December 14, 1992.
485—57 FR 59257; December 14, 1992.
486—58 FR 4359; January 14, 1993.
487—58 FR 5657; January 22, 1993.
488—58 FR 5642; January 22, 1993.
489—58 FR 5946; January 25, 1993.
492—58 FR 12863; March 5, 1993.
493—58 FR 12874; March 5, 1993.
494—58 FR 14271; March 16, 1993.
495—58 FR 14339; March 17, 1993.
496—58 FR 16757; March 30, 1993.
499—58 FR 25746; April 27, 1993.
502—58 FR 25763; April 27, 1993.
503—58 FR 27480; May 10, 1993.
505—58 FR 34931; June 30, 1993.

U.S. Fish and Wildlife Serv., Interior**§ 17.11**

- 508—58 FR 40538; July 28, 1993.
512—58 FR 41391; August 3, 1993.
513—58 FR 43819; August 18, 1993.
514—58 FR 49874; September 23, 1993.
516—58 FR 49880; September 23, 1993.
517—58 FR 49887; September 23, 1993.
518—58 FR 49937; September 24, 1993.
520—58 FR 53804; October 18, 1993.
522—58 FR 54065; October 20, 1993.
525—58 FR 68486; December 27, 1993.
526—59 FR 5310; February 3, 1994.
527—59 FR 5498; February 4, 1994.
533—59 FR 10584; March 7, 1994.
534—59 FR 13836; March 23, 1994.
538—59 FR 17998; April 15, 1994.
539—59 FR 18327; April 18, 1994.
540—59 FR 31095; June 16, 1994.
543—59 FR 36995; July 20, 1994.
545—59 FR 42691; August 18, 1994.
546—59 FR 42711; August 18, 1994.
549—59 FR 46002; September 6, 1994.
550—59 FR 46715; September 9, 1994.
552—59 FR 48153; September 19, 1994.
554—59 FR 49764; September 29, 1994.
557—59 FR 54841; November 2, 1994.
561—59 FR 60264; November 22, 1994.
562—59 FR 60279; November 22, 1994.
563—59 FR 60334; November 23, 1994.
566—59 FR 63264; December 8, 1994.
567—59 FR 64623; December 15, 1994.
568—59 FR 64866; December 16, 1994.
569—59 FR 65512; December 20, 1994.
571—60 FR 2903; January 12, 1995.
573—60 FR 5273; January 26, 1995.
574—60 FR 5267; January 26, 1995.
576—60 FR 6974; February 6, 1995.
577—60 FR 10715; February 27, 1995.
579—60 FR 18947; April 13, 1995.
580—60 FR 36010; July 12, 1995.
582—61 FR 11332; March 20, 1996.
583—61 FR 25832; May 23, 1996.
585—61 FR 32366; June 24, 1996.
588—61 FR 48413; September 13, 1996.
597—61 FR 54056; October 16, 1996.
598—61 FR 59028; November 20, 1996.
600—62 FR 689; January 6, 1997.
602—62 FR 1657; January 10, 1997.
604—62 FR 2322; January 16, 1997.
605—62 FR 3628; January 24, 1997.
607—62 FR 4191; January 29, 1997.
608—62 FR 4939; February 3, 1997.
610—62 FR 10746; March 10, 1997.
612—62 FR 23392; April 30, 1997.
614—62 FR 30772; June 5, 1997.
616—62 FR 31757; June 11, 1997.
617—62 FR 31761; June 11, 1997.
618—62 FR 33038; June 18, 1997.
621—62 FR 38939; July 21, 1997.
622—62 FR 39157; July 22, 1997.
626—62 FR 59622; November 4, 1997.
628—62 FR 64320; December 5, 1997.
629—62 FR 66303; December 18, 1997.
630—63 FR 694; January 7, 1998.
631—63 FR 1763; January 12, 1998.
632—63 FR 3843; January 27, 1998.
633—63 FR 12687; March 16, 1998.
634—63 FR 13150; March 18, 1998.
636—63 FR 26530; May 13, 1998.
637—63 FR 31674; June 10, 1998.
638—63 FR 32997; June 17, 1998.
639—63 FR 42762; August 11, 1998.
642—63 FR 46909; September 3, 1998.
645—63 FR 51016; September 24, 1998.
646—63 FR 52837; October 1, 1998.
651—63 FR 57619; October 28, 1998.
653—63 FR 64799; November 23, 1998.
654—63 FR 69021; December 15, 1998.
655—63 FR 70062; December 18, 1998.
656—64 FR 5981; February 8, 1999.
658—64 FR 15704; April 1, 1999.
659—64 FR 17124; April 8, 1999.
660—64 FR 19308; April 20, 1999.
664—64 FR 41836; August 2, 1999.
665—64 FR 47134; August 30, 1999.
669—64 FR 56608; October 20, 1999.
670—64 FR 58932; November 1, 1999.
674—64 FR 72960; December 29, 1999.
675—65 FR 30; January 3, 2000.
676—65 FR 2357; January 14, 2000.
677—65 FR 3109; January 19, 2000.
679—65 FR 3890; January 25, 2000.
680—65 FR 4169; January 26, 2000.
682—65 FR 4779; February 1, 2000.
687—65 FR 8889; February 23, 2000.
688—65 FR 10039; February 25, 2000.
692—65 FR 16085; March 24, 2000.
693—65 FR 17786; April 5, 2000.
694—65 FR 19698; April 12, 2000.
695—65 FR 25879; May 4, 2000.
696—65 FR 20769; April 18, 2000.
697—65 FR 26461; May 5, 2000.
698—65 FR 26771; May 9, 2000.
700—65 FR 46654; July 31, 2000.
701—65 FR 51478; September 7, 2000.
702—65 FR 57264; September 21, 2000.
703—65 FR 60885; October 13, 2000.
705—65 FR 69481; November 17, 2000.
706—65 FR 69637; November 17, 2000.
707—65 FR 81433; December 26, 2000.
709—66 FR 32257; June 14, 2001.
710—66 FR 33915; June 26, 2001.
713—66 FR 50350; October 3, 2001.
714—66 FR 51339; October 9, 2001.
715—66 FR 59373; November 28, 2001.
716—66 FR 59545; November 29, 2001.
718—66 FR 63002; December 4, 2001.
719—66 FR 66811; December 27, 2001.
724—67 FR 37721; May 30, 2002.
725—70 FR 3459; January 24, 2005.
726—67 FR 40811; June 13, 2002.
728—67 FR 44392; July 2, 2002.
729—67 FR 47739; July 22, 2002.
730—67 FR 51129; August 7, 2002.
731—67 FR 52889; August 14, 2002.
732—67 FR 52426; August 12, 2002.
734—68 FR 13520; March 19, 2003.
735—68 FR 15872; April 1, 2003.
738—68 FR 43658; July 24, 2003.
740—69 FR 70190; December 17, 2003.
741—69 FR 3028; January 22, 2004.
742—70 FR 67928; November 9, 2005.
743—70 FR 10485; March 4, 2005.
744—69 FR 47248; August 4, 2004.
745—70 FR 1285; January 6, 2005.

§ 17.12

747—70 FR 17916; April 8, 2005.
748—70 FR 69465; November 16, 2005.
754—70 FR 58350; October 6, 2005.
755—70 FR 66706; November 2, 2005.
756—71 FR 26851; May 9, 2006.
757—71 FR 40673; July 18, 2006.
758—71 FR 42314; July 26, 2006.
759—72 FR 14938; March 29, 2007.
760—73 FR 3178; January 16, 2008.

EDITORIAL NOTE 1: For FEDERAL REGISTER citations affecting the table in § 17.11(h), see the listing above.

EDITORIAL NOTE 2: For FEDERAL REGISTER citations affecting § 17.11, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and on GPO Access.

§ 17.12 Endangered and threatened plants.

(a) The list in this section contains the names of all species of plants which have been determined by the Services to be Endangered or Threatened. It also contains the names of species of plants treated as Endangered or Threatened because they are sufficiently similar in appearance to Endangered or Threatened species (see § 17.50 *et seq.*).

(b) The columns entitled "Scientific name" and "Common name" define the species of plant within the meaning of the Act. Although common names are included, they cannot be relied upon for identification of any specimen, since they may vary greatly in local usage. The Services shall use the most recently accepted scientific name. In cases in which confusion might arise, a synonym(s) will be provided in parentheses. The Services shall rely to the extent practicable on the *International Code of Botanical Nomenclature*.

(c) In the "Status" column the following symbols are used: "E" for Endangered, "T" for Threatened, and "E [or T] (S/A)" for similarity of appearance species.

(d) The other data in the list are non-regulatory in nature and are provided for the information of the reader. In the annual revision and compilation of this title, the following information may be amended without public notice: the spelling of species' names, historical range, footnotes, references to certain other applicable portions of this title, synonyms, and more current names. In any of these revised entries,

50 CFR Ch. I (10-1-08 Edition)

neither the species, as defined in paragraph (b) of this section, nor its status may be changed without following the procedures of part 424 of this title.

(e) The "Historic range" indicates the known general distribution of the species or subspecies as reported in the current scientific literature. The present distribution may be greatly reduced from this historic range. This column does not imply any limitation on the application of the prohibitions in the Act or implementing rules. Such prohibitions apply to all individuals of the plant species, wherever found.

(f)(1) A footnote to the FEDERAL REGISTER publication(s) listing or reclassifying a species is indicated under the column "When listed." Footnote numbers to §§ 17.11 and 17.12 are in the same numerical sequence, since plants and animals may be listed in the same FEDERAL REGISTER document. That document, at least since 1973, includes a statement indicating the basis for the listing, as well as the effective date(s) of said listing.

(2) The "Special rules" and "Critical habitat" columns provide a cross reference to other sections in parts 17, 222, 226, or 227. The "Special rules" column will also be used to cite the special rules which describe experimental populations and determine if they are essential or nonessential. Separate listings will be made for experimental populations, and the status column will include the following symbols: "XE" for an essential experimental population and "XN" for a nonessential experimental population. The term "NA" (not applicable) appearing in either of these two columns indicates that there are no special rules and/or critical habitat for that particular species. However, all other appropriate rules in parts 17, 217 through 227, and 402 still apply to that species. In addition, there may be other rules in this title that relate to such plants, e.g., port-of-entry requirements. It is not intended that the references in the "Special rules" column list all the regulations of the two Services which might apply to the species or to the regulations of other Federal agencies or State or local governments.